Vol. 91, Sect. 4, 1954

# COELENTERATA

COMPILED BY

H. DIGHTON THOMAS, M.A., Ph.D.

LONDON
PUBLISHED BY
THE ZOOLOGICAL SOCIETY OF LONDON

PRICE FOUR SHILLINGS

March, 1957

# SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz .:-

								8.	d.
1.	Comprehen	sive Zo	ology	***	***	***		2	6
2.	Protozoa							7	6
3.	Porifera	***	***					2	0
4.	Coelenterat	a	***	***				4	0
5.	Echinodern	na						2	6
6.	Vermes							10	0
7.	Brachiopod	a						3	0
8.	Bryozoa				****			2	0
9.	Mollusca		***					10	0
10.	Crustacea		***	***	***			5	0
11.	Trilobita							3	0
12.	Arachnida							7	6
*13	Insecta							30	0
	Protochorda							2	0
	Pisces			144	***	***		17	0
		***	***	***	***	.,,			Ĩ
	. Amphibia		***	***		***	•••	5	0
16в.	Reptilia	***			***			6	0
17.	Aves				***			7	6
18.	Mammalia				***			7	6
19.	List of New	Genera	a and S	Subgene	era	***		3	0

<sup>\*</sup> Obtainable only from the Commonwealth Institute of Entomology, 56, Queen's Gate, London, S.W.7.

## 4. COELENTERATA

COMPILED BY

## H. DIGHTON THOMAS, M.A., Ph.D.

## CONTENTS

I.	Titles								PAGE 1	
II.	Subject	INDEX							12	
III.	SYSTEMA	TIC INDE	ex		•••			•	16	
	Hydrozoa, p. 16; Graptolithina, p. 22; Scyphozoa, p. 25; Anthozoa, p. 25; Ctenophora, p. 40; Incertae Sedis, p. 40.									

## I.—TITLES

- 1.—Opinion 197. Suppression, under the Plenary Powers, of the generic name "Graptolithus" Linnaeus, 1768 (Class Graptolithina) and of the specific name "scalaris" Linnaeus, 1768, as published in the combination Graptolithus scalaris. Opin. int. Comm. zool. Nom. 3 16 1954: 207-216.
- 2.—Opinion 198. Suppression, under the Plenary Powers, of the generic names Lomatoceras Bronn, 1834, and Monoprion Barrande, 1850 (Class Graptolithina), and validation of the generic name Monograptus Geinitz, 1852. Opin. int. Comm. zool. Nom. 3 17 1954: 217-228.
- 3.—Opinion 199. Suppression, under the Plenary Powers, of the generic name Gladiolites Barrande, 1850, and validation of the name Retiolites Barrande, 1850 (Class Graptolithinae). Opin. int. Comm. 200l. Nom. 3 18 1954: 229-238.

- 4.—Opinion 223. Suppression, under the Plenary Powers, of the generic name "Teleosteus" Volger, 1860, and of the specific name "primaevus" Volger, 1860, as published in the combination "Teleosteus primaevus" (Class Anthozoa). Opin. int. Comm. 2001. Nom. 4 1954: 139–148.
- 5.—Abel, E. F. Ein Beitrag zur Giftwirkung der Aktinien und Funktion der Randsäckohen. Zool. Anz. 153 1954: 259–268 text-figs.
- 6.—Adam, K. D. Neue Funde von Palaeosemaeostoma geryonoides (Cnidaria) aus dem unteren Dogger Südwest-Deutschlands, Jber. oberrhein, geol, Ver. N.F. 35 (for 1953) 1954; 88–96 pl. 3.
- 7.—Adams, P. J. & Cowie, J. W. A geological reconnaissance of the region around the inner part of Danmarks Fjord, Northeast Greenland. Medd. Grønland 111 7 1953: 1–24 pls. 1, 2 text-figs.

- 8.—Alloiteau, J. Sur cinq genres nouveaux de Madréporaires post-paléozoïques. Bull. Soc. géol. Fr. (6) 3 1953: 873-887 pls. 28, 29.
- 9.—Alloiteau, J. Le Genre Actinastrea d'Orb. 1849 dans le Crétacé supérieur français. Ann. Hébert et Haug 8 1954 : 9–104 pls. 1–10 text-figs.
- 10.—Alloiteau, J. Du genre Phyllosmilia E. de Fromentel dans le Crétacé supérieur français. Ann. Centre Études Document. paléont. No. 8 1954: 1-30 pl. 1 text-figs.
- 11.—Ankel, W. E. Phyllirrhoe, Mnestra und die Probleme der Gemeinschaften des ozeanischen Pleustals. Verh. dtsch. zool. Ges. (for 1951) 1952: 396-404 text-figs.
- 12.—Atoda, K. The Larva and Post-larval Development of Some Reef-Building Corals, I. Pocillopora damicornis cespitosa (Dana). Sci. Rep. Tôhoku Univ. (4) 18 1 1947: 24–47 text-figs.
- 13.—Atoda, K. The Larva and Postlarval Development of Some Reef-Building Corals. II. Stylophora pistillata (Esper). Sci. Rep. Tôhoku Univ. (4) 18 1 1947: 48-64 pl. 1 text-figs.
- 14.—Atoda, K. The development of the sea anemone, Diadumene luciae, reproduced by the pedal laceration. Sci. Rep. Tôhoku Univ. (4) 20 2 1954: 123-129 text-figs.
- 15.—Atoda, K. Postlarval development of the sea anemone, Anthoplewa sp. Sci. Rep. Tôhoku Univ. (4) 20 3 1954: 274–286 pls. 6, 7 text-figs.
- 16.—Barnard, K. H. South African Shore-life, pp. 1–135, pls. 1–25. Cape Town, 1954.
- 17.—Barrass, R. Graptolites from Anticosti Island. Quart. J. geol. Soc. Lond. 110 1 1954: 55-75 text-figs.
- 18.—Barrett, J. H. Jellyfish on the Welsh Coast. Country-Side N.S. 17 3 1954: 102-103.
- 19.—Batham, E. J. & Pantin, C. F. A. Slow contraction and its relation to spontaneous activity in the sea-anemone *Metridium senile* (L.). J. exp. Biol. 31 1 1954: 84–103 text-figs.
- 20.—Bayer, F. M. New names for two genera of Octocorallia. J. Wash. Acad. Sci. 44 9 1954: 296.

- 21.—Bayer, F. M. Anthozoa: Alcyonaria. Fish. Bull. U.S. 55 1954: 279-284.
- 22.—[Bendukidze, N. S.] [Note on Upper Jurassic Corals of Ratchi in Southern Osetia.] Soobshch. Akad. Nauk Gruz. S.S.R. 9 5 1948: 285-288. [Russian only—lists.]
- 23.—Berenguier, A. Contribution à l'étude des octocoralliaires de Méditerranée Occidentale. Rec. Trav. Stat. mar. Endoume No. 12 1954: 53-96 pls. 1-22.

Beyeler, M. see Wirz, K.

- 24.—Beyer, A. K. Zur Stratigraphie des obersten Gotlandiums in Mitteleuropa. Wiss. Z. Univ. Greifswald Math.-nat. R. 1 1 1951-2: 35-67 textfigs.
- 25.—Black, W. Diagnostic Characters of the Lower Carboniferous Knoll-Reefs in the North of England. Trans. Leeds Geol. Assoc. 6 5 (for 1953-54) 1954: 262-297 pl. 1 text-figs.
- 26.—Boettger, C. R. Beitrag zur Kenntnis der Susswasserpolypen der Umgebung von Celle und der südlichen Lüneburger Heide. Beitr. Naturk. niedersachs. 7 2 1954: 56-58.
  - [Bogush, O. I.] see [Lisitzina, N. A.].
- 27.—Boschma, H. Stylasterina in the Collection of the Amsterdam Museum: I. Errina aspera (L.). Proc. Akad. Sci. Amsterdam C57 2 1954: 143-150 pls. 1-3.
- 28.—Boschma, H. On Some Specimens of the Coral Montipora verrucosa (Lamarck) from the Hawaiian Islands, formerly described as Separate Species. Proc. Akad. Sci. Amsterdam C57 2 1954: 151-158 1 pl.
- 29.—Boschma, H. De Familie Axoporidae. Versl. gewone Vergad. Akad. Amst. 63 4 1954: 99-104 textfigs.
- 30.—Bouček, B. & Přibyl, A. Contribution to our Knowledge of the Cyrtograptids from the Silvarian of Bohemia and on their Stratigraphic Importance, Bull. int. Acad. Prague 53 1953: 177–201 pls. 1–4 text-figs.
- 31.—Bouillon, J. A Hydropolyp in the Biological Cycle of a Freshwater Jellyfish. Nature London 174 4441 1954: 1112.

- 32.—Bourdillon, A. Mise en évidence d'une substance favorisant la métamorphose des larves d'Alcyonium coralloïdes (Von Koch). C.R. Acad. Sci. Paris 239 21 1954 : 1434-1436.
- 33.—Brien, P. Hétérogreffes entre hydres normales et hydres irradiées aux rayons X. C.R. Acad. Sci. Paris 237 1953: 1115–1117.
- 34.—Brien, P. La gamétogénèse dans le genre *Hydra*. C.R. 3e. Congr. Nat. Sci. Brux. 4 no date (? 1954): 1-3 (of separate).
- 35.—Brien, P. Origine et localisation des cellules germinales chez les Hydroïdes gymnoblastiques. C.R. 3e. Congr. nat. Sci. Brux. 4 no date (? 1954): 1–3 (of separate).

Broekhuysen, G. J. see Day, J. H.

- 36.—Broch, H. Octocorals and stony Corals of the high Adriatic trawling grounds. Rep. Inst. oceanogr. Split 6 2 1953: 1-22 text-figs. 3 maps.
- 37.—Buchanan, J. B. The Zoogeographical Significance of the Madreporaria collected in the Gold Coast, West Africa. Rev. Zool. Bot. afr. 49 1–2 1954: 84–88.
- 38.—Bulman, O. M. B. Some Graptolites from the Ogygiocaris Series (4ac) of the Oslo district. Ark. Min. Geol. 1 17 1953: 509-518 pls. 1, 2 text-figs.
- 39.—Bulman, O. M. B. Status of Invertebrate Paleontology, 1953. VII. Graptolithina. Bull. Mus. comp. Zool. Harv. 112 1954: 201–215 8 figs.
- 40.—Bulman, O. M. B. The Graptolite fauna of the Dictyonema Shales of the Oslo region. Norsk geol. Tidsskr. 33 1-2 1954: 1-40 pls. 1-8 text-figs.
- 41.—Carlgren, O. Actiniaria and Zoantharia from South and West Australia with comments upon some Actiniaria from New Zealand. Ark. Zool. 6 34 1954: 571–595 text-figs.
- 42.—[Chernov, A. A.] [The stratigraphical importance of some groups of Palaeozoic invertebrates in the light of publications of the Palaeontological Institute of the Academy of Science of the U.S.S.R.] Bull. Soc. Nat. Moscou geol. 29 3 1954: 37-47. [Russian only.]
- 43.—Chevalier, J.-P. Contribution à la révision des polypiers du genre Heliastraea. Ann. Hébert et Haug 8 1954 : 105-190 pls. 1-8 text-figs.

- 44.—Chevalier, J.-P. Sur quelques espèces d'Anthozoaires du Nummulitique des environs de Blaye (Gironde). Bull. Soc. géol. Fr. 6 4 1-3 1954 : 61-66 pl. 5b.
- 45.—Christomanos, A. A Violet Pigment from the Mediterranean Medusa Rhizostoma pulmo. Nature London 173 4410 1954: 875–876 text-figs.
- 46.—Chu, G. W. T. C. & Cutress, C. E. Human dermatitis caused by marine organisms in Hawaii. Proc. Hawaii Acad. Sci. No. 29 1954: 9.
- 47.—Conti, S. Stratigrafia e Paleontologia della Val Solda (Lago di Lugano). Mem. Carta geol. Ital. 30 1954: 1-248 pls. 1-13 text-figs. [Corals, pp. 157, 210.]
- 48.—Cope, R. N. Cyrtograptids and Retiolitids from County Tipperary. Geol. Mag. 91 4 1954: 319-324 textfigs.

Cowie, J. W. see Adams, P. J.

Crehuet, R. F. see Martin, O. R.

Cutress, C. E. see Chu, G. W. T. C.

- 49.—Dangeard, L. Les récifs du Bathonien de Blainville (Calvados), Bull. Soc. linn. Normandie 9 6 1949 : 16-18 text-fig.
- **50.—Dangeard,** L. Le récif Lusitanien de Bellême (Orne). Bull. Soc. linn. Normandie 9 **6** 1950 : 50–53 text-figs.
- 51.—Day, J. H., Millard, N. A. H. & Broekhuysen, G. J. The Ecology of South African Estuaries. Part IV: The St. Lucia System. Trans. roy. Soc. S. Afr. 34 1 1954: 129-179 pls. 3, 4 text-fig.
- 52.—Deboutteville, C. D. & Nunes, L. P. Hydraires épizoiques sur les Copépodes parasites. Arch. Mus. Bocage No. 23 1952 : 1-11 text-fig.
- 53.—Decker, C. E. A new graptolite from South Dakota. J. Paleont. 28 2 1954; 208-209 text-figs.
- 54.—Deevey, E. S. Hydroids of the Gulf of Mexico. Fish. Bull. U.S. 55 1954: 267-272.

Deevey, E. S. see Redfield, A. C.

Dias, M. V. see Pantin, C. F. A.

55.—Doty, M. S. & Morrison, J. P. E. Interrelationships of the Organisms on Raroia Atoll Aside from Man. Atoll Res. Bull. No. 35 1954: 1-61 figs.

- **56.—Drews**, R. Süsswasserpolypen. Mikrokosmos **43** 5 1954 : 116–118 text-figs.
- **57.—Dunbar**, C. O. A new technique for making sections of invertebrate fossils. J. Paleont. **28** 1 1954: 112.
- 58.—Fontaine, A. Some Observations on *Physalia*, the Portuguese Man-of-War. Nat. Hist. Notes nat. Hist. Soc. Jamaica No. 64 1954: 61-64 text-figs.
- 59.—Fontaine, A. The Colonial Sea-Anemones of Jamaica. Nat. Hist. Notes nat. Hist. Soc. Jamaica No. 66 1954: 107-109 text-figs.
  - Fox, D. L. see Millott, N.
  - 60.—Fox, D. L. & Millott, N. The pigmentation of the jellyfish, *Pelagia noctiluca* (Forskål) var. *panopyra* Péron and Lesueur. Proc. roy. Soc. 142B 908 1954: 392–408 text-figs.
  - 61.—Garcia-Fuente, S. Geologia del Concejo de Teverga (Asturias). Cap. V: Paleontología. Bol. Inst. geol. Esp. 64 1952: 397-404 11 pls. (un-numbered, Cambriano-Carbonífero superior).
  - 62.—Garcia-Fuente, S. Geología de los Concejos de Proaza y Tameza (Asturias). Cap. V: Paleontología. Bol. Inst. geol. Esp. 65 1953 : 295–297 2 pls. (un-numbered, Cambriano-Devoniano).
  - 63.—Géczy, B. Studien über Cycloliten (Anth.). Geol. hung. Palaeont. 24 1954: 1–158 pls. 1–10 text-figs. [Hungarian with German and Russian summaries.]
  - 64.—[Gekker, R. F.] [Comparison of sections of the western and eastern halves of the main Devonian field with the ecology of its fauna and flora.] Bull. Acad. Sci. URSS gcol. 4 1954: 75–100 text-figs. [Russian only.]
  - 65.—George, P. C. The Marine Plankton of the Coastal Waters of Calicut with Observations on the Hydrological Conditions. J. zool. Soc. India 5 1953: 76–107 text-figs.
  - 66.—George, T. N. Pre-Seminulan Main Limestone of the Avonian Series in Breconshire. Quart. J. Geol. Soc. Lond. 110 3 1954: 283-322 pl. 12 textfigs.

- 67.—Germovšek, C. Les Hydrozoa du Jura supérieur aux environs de Novo Mesto. Diss, Acad. Sci. Art. Sloven. Cl. 4 Hist. nat., Ljubljana 2 1954: 341–386 pls. 1–10. [Slovenian with French résumé.]
- 68.—Geyer, O. F. Eine kleine Korallenfaune aus dem mittleren Kimmeridge des Kalkrieser Bergsattels NO Engter (Wiehengebirge). Veröff. naturw. Ver. Osnabrück 26 1953: 63–66.
- 69.—Geyer, O. F. Die oberjurassische Korallenfauna von Württemberg. Palaeontogr. 104A 1954: 121-220 pls. 9-16 tables 1, 2.
- 70.—Gilbert, J. L. The Upper Lias at Flaxen Ford, N.G.R. 085996. Ann. Rept. Huntingdonshire Fauna & Flora Soc. 7 1954: 12–14.
- 71.—Glumac, S. Une méthode physiologique nouvelle pour la vérification des déterminations spécifiques des hydres d'eau douce, son importance et les possibilités de son application. Bull. Mus. Hist. nat. Serbe (B) Nos. 5–6 1953: 493–502 text-fig. [Serbian with French résumé.]
- 72.—Glumac, S. Contribution à la connaissance du fonctionnement des cellules à nématocystes chez l'hydre d'eau douce. Bull. Mus. Hist. nat. Serbe (B) Nos. 5-6 1953: 503-511 text-fig. [Serbian with French résumé.]
- 73.—[Gofshtein, I. D.] [Discrepancy in the boundary of lower and upper Silurian in Pridnestrov.] Bull. Acad. Sci. U.R.S.S. Geol. 1 1954: 118-119. [Russian only.]
  - Goodwin, T. W. see Nicola, M. de.
- 74.—Goreau, T. F. Phosphomonoesterases in Reef-Building Corals. Proc. nat. Acad. Sci. 39 12 1953: 1291–1295 text-figs.
- 75.—Gruhl, H. Bemerkenswerte Funde von Graptolithen bei Rangersdorf/OL. Geologie 3 4 1954 : 462–471 text-figs.
- 76.—Guilcher, A. Problèmes et méthodes de l'étude géomorphologique des récifs coralliens. Bull. Soc. Sci. Nancy N.S. 12 4 1953 : 144-153.
- 77.—Haberfelner, E. Revision de los Graptolitos de Sierra Morena. Publ. [alem.] extran. Geol. Esp. 6 1952 : 41–105 4 tables text-figs.

78.—Hand, C. Three Pacific Species of "Lar" (Including a New Species), Their Hosts, Medusae, and Relationships. (Coelenterata, Hydrozoa). Pacif. Sci. 8 1954: 51-67 text-figs.

Harrison, A. D. see Millard, N. A. H.

- 79.—Hauenschild, C. Genetische und entwicklungsphysiologische Untersuchungen über Intersexualität und Gewebeverträglichkeit bei *Hydractinia echinata* Flemm. (Hydroz. Bougainvill.). Roux Arch. Entw. Mech. Organ. 147 1 1954: 1-41 text-figs.
- 80.—Hayasaka, I. & Minato, M. Note on the Carboniferous and Permian Faunas of Japan. J. Fac. Sci. Hokkaido Univ. Geol. 4 8 4 1954: 375-379 tables 1, 2.
- **81.**—**Hedgpeth,** J. W. Scyphozoa. Fish. Bull. U.S. **55** 1954: 277-278.
- 82.—Hedgpeth, J. W. Anthozoa: the anemones. Fish. Bull. U.S. 55 1954: 285-290 2 figs.
- 83.—Hela, I., Moore, H. B. & Owre, H. Seasonal changes in the surface water masses and in their plankton in the Bermuda area. Bull. mar. Sci. Gulf & Caribbean 3 3 1953: 157-167 text-figs.
- 84.—Henke, W. & Hundt, R. Informe sobre algunos hallazgos de graptolitos en Sierra Morena. Publ. [alem.] extran. Geol. Esp. 6 1952: 27–39 pls. 3, 4 (1, 2).
- 85.—Hill, D. The Gondwana System in Queensland. 19th Congr. géol. internat. Alger 1952 (? 1954): 35–49 map, tables.
- 86.—Hill, D. Coral Faunas from the Silurian of New South Wales and the Devonian of Western Australia. Bull. Min. Resources Geol. Geophys. Australia 23 1954: 1–51 pls. 1–4.
- 87.—Hill, D. Devonian corals from Waratah Bay, Victoria. Proc. roy. Soc. Vict. N.S. 66 1954: 105-118 pls. 6-9.
- 88.—Hindermeyer, J. Découverte de Graptolites dendroïdes dans le Dinantien de la région de Tinerhir (flanc Nord du Sarho, Anti-Atlas marocain). C.R. Acad. Sci. Paris 239 21 1954: 1397– 1399.
- 89.—Horridge, A. Observations on the Nerve Fibres of Aurellia aurita. Quart. J. micr. Sci. 95 1 1945: 85-92 2 pls. text-figs.

- 90.—Horridge, G. A. The nerves and muscles of Medusae. I. Conduction in the nervous system of Aurellia aurita Lamarck. J. exp. Biol. 31 4 1954: 594-600 text-figs.
- 91.—Hosoi, K. Contribution to the Biochemistry of the Coral. IX. Inorganic Composition of the Skeleton of the Coral, Fungia actiniformis var. palawensis Döderlein. Sci. Rep. Töhoku Univ. (4) 18 I 1947: 85-87.
- 92.—Hosoi, K. Contribution to the Biochemistry of the Coral. X. A Note on the Comparative Physiology of the Coral, Fungia actiniformis var. palawensis Döderlein. Sci. Rep. Töhoku Univ. (4) 18 1 1947: 88-98.
- 93.—Hudson, R. G. S. A new Lower Cretaceous stromatoporoid, *Bekhmeia* wetzeli from Northern Iraq. J. Paleont. 28 1 1954: 47-51 pls. 7, 8.
- 94.—Hudson, R. G. S. Jurassic stromatoporoids from the Lebanon, J. Paleont. 28 5 1954; 657-661 pls. 72-73.
- 95.—Hudson, R. G. S. Jurassic stromatoporoids from Southern Arabia. Notes Mém. Moyen-Orient Paris 5 1954: 207-221 pls. 6-8 text-figs.

Hundt, R. see Henke, W.

Hunter, G. W. see Mackie, T. T.

- 96.—Huvé, P. Hydranthea et Campalecium genres Méditerranéens aberrants d'Hydroides de la famille des Haléciides. Rec. Trav. Stat. mar. Endoume No. 13 1954: 173–192 pls. 1–9.
- 97.—Itô, T. On a New Species of Fresh-Water Polyp from Japan. Sci. Rep. Tôhoku Univ. (4) 18 1 1947: 1–5 text-figs.
- 98.—Itô, T. A New Fresh-Water Polyp, *Hydra magnipapillata*, n. sp. from Japan. Sci. Rep. Tôhoku Univ. (4) 18 1 1947: 6-10 text-figs.
- 99.—Itô, T. Description of a New Pelmatohydra from Japan. Sci. Rep. Tôhoku Univ. (4) 18 1 1947: 11-16 text-figs.
- 100.—Itô, T. Two New Species of Freshwater Polyp from Japan. Sci. Rep. Tôhoku Univ. (4) 18 1 1947: 17-23 text-figs.

Iwata, F. see Uchida, T.

- 101.—Jaanusson, V. & Strachan, I. Correlation of the Scandinavian Middle Ordovician with the graptolite succession. Geol. Fören. Stockh. Förh. 76 4 1954: 684-696 text-figs.
- 102.—Jones, O. T. The use of Graptolites in Geological Mapping. L'pool. Manchr. geol. J. 1 3 1953: 246-260.
- 103.—[Kanaev, I. I.] [Outline of the biology of freshwater polyps], pp. 1-372 text-figs. Moscow & Leningrad (Acad. Sci. U.S.S.R.) 1952. [Russian only.]
- 104.—[Kanaev, I. I.] [The problem of a "hquid" cellular structure in Hydra.] Zool. Zh. 33 1 1954 : 26–29 text-figs. [Russian only.]
- 105.—[Karlov, N. N.] [New data on the reef nature of the Crimean pastures.] C.R. Acad. Sci. U.R.S.S. N.S. 91 6 1953: 1373–1375. [Russian only.]
- 106.—Kay, M. Geology of the Utica Quadrangle, New York. Bull. N.Y. St. Mus. No. 347 1953: 1-126 2 maps text-figs.
- 107.—Kennedy, G. Y. & Vevers, H. G. The occurrence of porphyrins in certain marine invertebrates. J. Mar. biol. Ass. U.K. 33 3 1954: 663-676 text-fig.
- 108.—Kilfoyle, C. F. Catalog of Type Specimens of Fossils in the New York State Museum. Supplement 4. Bull. N.Y. St. Mus. No. 348 1954: 1–719. [Coelenterates, pp. 59–65, 599; Graptolites, pp. 66–149, 600–612.]
- 109.—King, L. A Miocene Marine Fauna from Zululand. Trans. Proc. geol. Soc. S. Afr. 56 1953: 59-91 pls. 8-12 text-figs. [Corals p. 66.]
- 110.—Kolosváry, G. Beiträge zur Kenntnis der Fossilen Korallen der Jurazeit in Ungarn. Földt. Közl. 84 3 1954 : 235–243 pls. 33–41. [Hungarian with Russian and German summaries.]
- 111.—Kolosváry, G. Les coralliaires du Crétacé de la Hongrie. Jb. ung. geol. Anst. 42 2 1954 : 64-131 pls. 1-16. [Hungarian with French résumé.]
- 112.—Komai, T. & Tokuoka, Y. Further Observations on the Strobilation of Stephanoscyphus. Mem. Coll. Sci. Kyoto 15B 2 1939: 127-133 text-figs.

- 113.—Komshi, K. Note on the Moscovian (?) Deposits of Itoshiromura, Fukui, Japan. J. geol. Soc. Japan 60 700 1954: 7-17 pl. 1 text-figs. [Japanese with English abstract.]
- 114.—Kopek, G. Les coralliaires miocènes de la Hongrie septentrionale, Jb. ung. geol. Anst. 42 1 1954: 1-63 pls. 1-11 text-figs. [Hungarian with French and Russian summaries.]
- 115.—Kostić-Podgorska, V. Karbonische Korallen von Slovenski Javornik und Javorniški Rovt. Ann. géol. Pénin. Balkan. 22 1954: 93–97 pl. 1. [Serbian with German summary.]
- 116.—Kostić-Podgorska, V. Stylidophyllum denticulatum Huang aus dem Perm von Montenegrische Küstenzone. Ann. géol. Pénin. Balkan. 22 1954: 115-121 pls. 1-3. [Serbian with German summary.]
- 117.—Kozlowski, R. Sur la structure de certains Dichograptidés. Acta geol. polon. palaeont. 4 4 1954 : 423–444 pl. 1 text-figs. [Russian resumé and French translation in Conspectus pp. 117–135.]
- 118.—Kramp, P. L. On the freshwater Medusa Limnocnida tanganyicae and its Occurrence in African Lakes. Ann. Mus. Congo belge N.S. Zool. 1 1954: 207-213 text-figs.
- 119.—Kropfitsch, M. & Schouppé, A. von. Revision der Tabulaten aus dem Paläozoikum von Graz. Teil I: Thamnoporen und Striatoporen. Mitt. Naturwiss, Verein. Steiermark 83 1953: 90-117 1 pl. table.
- 120.—Kühn, O. Korallen aus mitteldeutschen Mitteloligozän. Notizbl. hess. Landesamt. Bodenforsch. 82 1954: 50–56 pl. 5.
- 121.—Le Danois, E. La vie étrange des rivages marins, pp. 1-192 pls. 1-96 (16 col.) text-figs. Paris, 1953.
- 122.—Leloup, E. A propos des Siphonophores. Vol. Jubil. Victor von Straelen Bruxelles 2 1954: 641–699 text-figs.
- 123.—Le Maître, D. Présence d'une microstructure du type Acanthiné chez des Tabulés dévoniens du Sud-Oranais: Holacanthopora nov. gen. C.R. Acad. Sci. Paris 238 16 1954: 1668-1670 text-figs.

124.—[Lisitzina, N. A. & Bogush, O. I.] [The Stratigraphy of the upper Paleozoic deposits of the eastern part of the Altai Ridge.] Bull. Soc. Nat. Moscow geol. 29 3 1954: 3-17 text-figs. [Russian only.]

125.—Loomis, W. F. Environmental factors controlling growth in *Hydra*. J. exp. Zool. 126 2 1954; 223-234.

126.—Loomis, W. F. Reversible Induction of Sexual Difference in Hydra. Science 120 3108 1954: 144– 146.

127.—Loss, R. Sulla presenza del Didymograptus climacograptoides (Holm) nel Nord argentino. Atti Soc. ital. Sci. nat. 92 2-4 1953: 189-197 text-fig.

McFarland, H. B. see Peck, J. H.

128.—Mack, G. Corals and the Great Barrier Reef, 12 pp. text-figs. Brisbane (Queensland Museum), 1950. [Popular account.]

129.—Mackie, T. T., Hunter, G. W. & Worth, C. B. A manual of tropical medicine, 2nd ed.: 612-613. Philadelphia, 1954.

130.—MacNeil, F. S. Organic Reefs and Banks and Associated Detrital Sediments. Amer. J. Sci. 252 7 1954: 385-401.

131.—MacNeil, F. S. The Shape of Atolls: An Inheritance from Subaerial Erosion Forms. Amer. J. Sei. 252 7 1954: 402-427 pls. 1-8.

132.—McNeill, F. An Elusive Jellyfish from Fresh Water. Aust. Mus. Mag. 11 7 1954: 225-227 text-figs. and cover.

Makino, N. see Yamao, Y.

133.—Marshall, N. B. Aspects of Deep Sea Biology, pp. 1-380, frontis. col., pls. (col.) I-4 text-figs. London 1954. [Coelenterates, pp. 96-100, 117-119, 135.]

134.—Martin, O. R. & Crehuet, R. F. Apuntes par el estudio bionomico de la Bahia de Santander. An. Asoc. esp. Progr. Cienc. 13 1 1948: 89-129. [Coelenterates, p. 113.]

135.—Matthews, D. C. Records of Hawaiian Ctenophora. Trans. Amer. micr. Soc. 73 3 1954: 282-284.

136.—Mellanby, H. Animal Life in Fresh Water, ch. 5: 14-19 text-figs. 5th Ed., London, 1953. 137.—Merriam, C. W. Rocks of Palaeozoic age in southern California. Bull. Calif. Div. Mines 170 ch. 3 (2) 1954: 9-14.

138.—Messikommer, E. Zur Kenntnis der niederen Sumf- und Wasserfauna der Gegend des Pfäffikersees (Kt. Zürich). Rev. suisse Zool. 61 1954: 635–656.

Millard, N. A. H. see Day, J. H.

139.—Millard, N. A. H. & Harrison, A. D. The Ecology of South African Estuaries. Part V: Richard's Bay. Trans. roy. Soc. S. Afr. 34 1 1954: 157-179 pls. 5, 6 text-figs.

Millott, N. see Fox, D. L.

140.—Millott, N. & Fox, D. L. Pigmentation of the Jellyfish, *Pelagia* noctiluca. Nature London 173 4395 1954: 169.

Minato, M. see Hayasaka, I.

141.—Moenke, M. Genus Hezagonaria in the Devonian of the Holy Cross Mts. Acta geol. polon. palaeout. 4 4 1954: 445-483 pls. 1-2 text-figs. [Russian and English summaries in Conspectus pp. 137-144.]

142.—Monod, Th. Sur deux Madréporaires ouest-africains. Ann. Mus. Congo belge N.S. Zool. 1 1954: 222-230 pl. text-figs.

Moore, H. B. see Hela, I.

143.—Moore, T. E. Notes on Freshwater Jellyfish, and New Records for Illinois. Nat. Hist. Misc. No. 132 1954: 1-4 text-figs.

Morrison, J. P. E. see Doty, M. S.

Mueller, L see Pax, F.

Müller, I. see Pax, F.

144.—Münch, A. Dictyonema textile gruhli Münch. Geologie 3 4 1954: 464-471 text-figs.

145.—Nair, K. K. Medusae of the Trivandrum Coast. Part 1—Systematics. Bull. centr. res. Inst. Univ. Travancore 2C 1 1951: 47-75 pl. 1.

146.—Nair, K. K. Medusae of the Travancore Coast. Part II. Seasonal Distribution. Bull. centr. res. Inst. Univ. Travancore 3C 1 1954: 31-68.

147.—Nakamura, N. Formation of hydranth in *Tubularia* at the place whence perisarc has been removed. Zool. Mag. Tokyo 51 3 1939: 183–184 text-figs.

- 148.—[Naumov, D. V..] [New hydroids from the regions of southern Sakhalin and the Kurile Islands.] Trav. Inst. 2001. Acad. Sci. S.S.S.R. 12 1952: 34–39 text-figs. [Russian only.]
- 149.—[Naumov, D. V.] [General problems of metagenesis in connection with the primary generation in metagenetic Hydrozoa.] Trav. Inst. zool. Acad. Sci. S.S.S.R. 13 1953: 70-90 text-figs. [Russian only.]
- 150.—Nesteroff, V. Sur l'originedétritique des craies coralliennes de la Mer Rouge. C.R. Acad. Sci. Paris 238 6 1954 : 709-711.
- 151.—Newell, G. E. The Marine Fauna of Whitstable. Ann. Mag. nat. Hist. (12) 7 1954: 321–350.
- 152.—Newell, N. D. Reefs and Sedimentary Processes of Raroia. Atoll Res. Bull. No. 36 1954: 1–35 text-figs.
- 153.—Nicola, M. de & Goodwin, T. W. The distribution of carotenoids in some marine invertebrates. Pubbl. Staz. zool. Napoli 25 1954: 145–160 text-figs.
  - Nunes, L. P. see Deboutteville, C. D.
- 154.—[Obut, A. M.] [Graptolita: Graptolithina Bronn, 1846, emend. Lapworth, 1875, em. auctt.] C.R. Acad. Sci. U.R.S.S. N.S. 92 4 1953: 831–834. [Russian only.]
- 155.—Oliver, W. A. Biostromes and bioherms of the Onondaga limestone in New York (abstract). Bull. geol. Soc. Amer. 64 1953: 1460.
- 156.—Oliver, W. A. Stratigraphy of the Onondaga limestone (Devonian) in central New York. Bull. geol. Soc. Amer. 65 7 1954: 621-652 pl. 1 (map) text-figs. [Lists.]
- 157.—Osberger, R. Notes on Plio-Pleistocene corals of Timor. Madj. Ilmu Al. unt. Indones. 110 1-3 1954: 80-82.
- 158.—Osberger, R. Jungtertiäre Korallen von Java. Teil I. Neues Jb. Min. Geol. Paläont. Abh. 100 1 1954: 119-158 pls. 9-11 text-figs.

Owre, H. see Hela, I.

Oyama, K. see Taki, I.

159.—Packham, G. H. A New Species of Hadrophyllum from the Garra Beds at Wellington, N.S.W. J. roy. Soc. N.S.W. 87 3 1954: 121-123 text-figs.

- 160.—Padget, P. Notes on some Corals from late Paleozoic Rocks of Inner Isfjorden, Spitzbergen. Norsk Polarinst. Skr. No. 100, 1954: 1-10 text-figs.
  - Pantin, C. F. A. see Batham, E. J.
- 161.—Pantin, C. F. A. & Dias, M. V. Excitation Phenomena in an Actinian (Bunodactis sp. ?) from Guanabara Bay. An. Acad. bras. Sci. 24 4 1952: 335–349 text-figs.
- 162.—Pantin, C. F. A. & Dias, M. V. Rhythm and Afterdischarge in Medusae. An. Acad. bras. Sci. 24 4 1952: 351–364 text-figs.
- 163.—Pax, F. Eine neue Rasse von Epizoanthus arenaceus aus der Adria. Atti Mus. Civic. Storia Nat. Trieste 19 5 1954: 393-395.
- 164.—Pax, F. Die Abstammung der Cölenteraten nach der Theorie von Jovan Hadži. Naturwiss. Rundschau Heft 7 1954: 288–290.
- 165.—Pax, F. Jadranski koralji u akvariju. [Adriatic corals in the aquarium.] Priroda 41 9 1954: 342–346 text-figs. [Serbian only.]
- 166.—Pax, F. & Mueller, I. Catalogue des Types d'Anthozaires du Musée Océanographique de Monaco. Bull. Inst. océanogr. Monaco No. 1038 1954: 1–40.
- 167.—Pax, F. and Müller, I. Die Korallentiere der Adria. Aquar. Terrar. Z. 7 1954: 10-13, 32-34, 60-62, 120-123, 142-147, 172-176, 202-205, 229-231, 315-317 text-figs.
- 168.—Pax, F. & Müller, I. Veretillum cynomorium an der Küste von Angola. Ann. Mus. Congo belge N.S. Zool. 1 1954: 231-237 text-figs.
- 169.—Peck, J. H. & McFarland, H. B. Whitfield Collection of types in the University of California. J. Paleont. 28 3 1954: 297-309 pl. 29.
- 170.—Pope, E. C. Marine Stingers, Aust. Mus. Mag. 11 4 1953: 111-115 text-figs.
- 171.—Přibyl, A. Contribution to the Knowledge of the Silurian Graptolites of Bulgaria. Bull. int. Acad. Prague 53 (for 1952) 1953: 135-175 pls. 1, 2.

Přibyl, A. see Bouček, B.

- 172.—Ralph, P. M. A Guide to the Athecate (Gymnoblastic) Hydroids and Medusae of New Zealand. Tuatara 5 2 1953: 59-75 text-figs.
- 173.—Ranade, M. R. Occurrence of Corymorpha (Hydrozoa) in Indian waters. J. Bombay nat. Hist. Soc. 52 1 1954: 219-220 text-fig.
- 174.—Redfield, A. C. et al. Marine Fouling and its Prevention, pp. i-x + 1-388, frontis., text-figs. U.S. Naval Institute, Annapolis, Md., 1952.
- 175.—Reynolds, M. A. The Cainozoic Succession of Maslin and Aldinga Bays, South Australia. Trans. roy. Soc. S. Aust. 76 1953: 114-140 map text-figs
- 176.—Richey, W. C. The Versatile Jelly Fish. Proc. Pa. Acad. Sci. 28 1954: 280-302 text-figs.
- 177.—Roth, H. Das Gotlandium bei Bad Lauterberg im Harz. Geol. Jb. 68 1954: 341-400 tables 1, 2 text-figs.
- 178.—Różkowska, M. O rozwoju koralowców. Przeglad Geol. 8 1953: 6-9 (338-341) text-figs. 1-7.
- 179.—Różkowska, M. Preliminary Investigations of Couvinian Tetracorals of Grzegorzowice. Acta geol. polon. 4 1954: 207-248 text-figs. [Conspectus pp. 43-45 (Russian), pp. 46-58 (English).]
- 180.-Rüsche, E. Die makroskopische Lebewelt an den Ufern des Rheinhafens von Duisberg-Ruhrort. Arch. Hydrobiol. 49 3 1954: 386-413 text-figs. [Coelenterates, pp. 400-404.]
- 181.—Rusconi, C. Graptolites Ordovícicos de Mendoza. Bol. Soc. geol. Peru 25 Anivers. 2 1949 : fasc. 4 : 1-4. [Lists.]
- 182.—Rusconi, C. Las piezas "Tipos" del Museo de Mendoza. Rev. Mus. Hist. nat. Mendoza 7 1-4 1954: 82-155. [Coelenterates, pp. 95, 114, 122, 143; graptolites, pp. 119-122, 143-146.]
- 183.—Russell, F. S. The Medusae of the British Isles. Anthomedusae, Leptomedusae, Limnomedusae, Trachymedusae and Narcomedusae: i-xiii, 1-530, pls. 1-35 text-figs. Cambridge, 1953.
- 184.—Salter, K. E. W. Notes on the Scleractinia or Stony Corals (Coelenterata) of Heron Island, Queensland. I. A List of the Common Species. Proc. Linn. Soc. N.S.W. 79 3-4 1954: 90-94.

- 185 .- Schindewolf, O. H. Zur Taxonomie rezenter und fossiler Organismen. C.R. 19th Congr. géol. internat. Alger, Union Paléont. internat. 1954: 81-91.
- 186.—Schmidt, W. J. Sinneszellen mit "Lipoidsliften" im Epithelpolster der Ctenophorenstatocyste. Zool. Anz. **152** 5-6 1954 : 99-105 text-figs.
- 187.—Schouppé, A. von. Neue Fossilfunde in der Lurgrotte bei Peggau. Mitt. Naturwiss. Verein. Steiermark 79-80 1951: 172-173.
- 188.—Schouppé, A. von. Die Korallenfauna aus dem ef des Paläozoikums von Graz. Mitt. Naturwiss. Verein. Steiermark 84 1954: 159-171 pl. 2 text-figs.
- 189.—Schouppé, A. v. Korallen und Stromatoporen aus dem ef der Karnischen Alpen. Neues Jb. Min. Geol. Paläont. Abh. 99 3 1954: 379-450 pls. 25-27.
  - Schouppé, A. von see Kropfitsch, M.
- 190,-Sears, M. Hydromedusae of the Gulf of Mexico. Fish. Bull. U.S. 55 1954:273-274.
- 191.—Sears, M. Siphonophores in the Gulf of Mexico. Fish. Bull. U.S. 55 1954: 275-276.
- 192.—Sears, M. Ctenophores in the Gulf of Mexico. Fish. Bull. U.S. 55 1954:297.
- 193.—Semal-Van Gansen, P. hydre d'eau douce au Congo belge. Ann. Soc. roy. zool. Belg. 84 2 1953: 267-270 text-figs.
- 194.—Semal-Van Gansen, P. Etude d'une espèce: Hydra attenuata Pallas. Ann. Soc. roy. zool. Belg. 85 1954: 187-216 text-figs, tables.
- 195.—Semal-Van Gansen, P. L'histophysiologie de l'endoderme de l'hydre d'eau douce. Ann. Soc. roy. zool. Belg. 85 1954: 217-278 text-figs.
- 196.—Semal-Van Gansen, P. structure des nématocystes de l'Hydre d'eau douce. Bull. Acad. Belg. Cl. Sci. (5) 40 3 1954: 269-287 pls. 1, 2 text-
- 197.—Sherrard, K. M. The Assemblages of Graptolites in New South Wales. J. Proc. roy. Soc. N.S.W. 87 3 1954: 73-101 pls. 10, 11 text-figs. tables.

- 198.—Sinclair, G. W. The Age of the Ordovician Kirkfield Formation in Ontario. Ohio J. Sci. 54 1 1954: 31-41 text-figs.
- 199.—[Smirnov, G. A. & Smirnova, T. A.] [The age of a granite intrusion of the Urals,] C.R. Acad, Sci. U.R.S.S. N.S. 90 6 1953: 1139-1141. [Russian only.]

[Smirnova, T. A.] see [Smirnov, G. A.]

200.—Smith, F. G. W. Gulf of Mexico madreporaria. Fish. Bull. U.S. 55 1954: 291-295 text-fig. (map).

Smith, S. see Thomas, H. D.

- 201.—[Soshkina, E. D.] [List of Devonian Tetracorals compiled from Material from the Devonian of the Ural, Timan, Armenian and Central Devonian Areas of the Russian Platform.] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 39 1952: 1–178 pls. 1–49 text-figs. [Not seen. Russian only.]
- 202.—[Soshkina, E. D.] [Devonian Tetracorals of the Russian Platform.] Trav. Inst. palaeont. Acad. Sci. U.R.S.S. 52 1954: 1-76 pls. 1-19 text-figs. [Not seen. Russian only.]
- 203.—Southcott, R. V. Fatal Stings to North Queensland Bathers. Med. J. Austr. 1 1952: 272 text-fig. [Not seen.]
- 204.—Southward, A. J. Some notes on Manx medusae. Rep. Mar. biol. Sta. Pt. Erin 66 1954: 17-22.
- 205.—Stephen, J. N. Upper Devonian Organie Reef at Golden Spike, Alberta, Canada. [Abstract.] Univ. Wyoming Publ. 17 1–4 1953: 141–142.
- 206.—Stevens, N. S. A Note on the Geology of Panuara and Angullong, South of Orange, N.S.W. Proc. linn. Soc. N.S.W. 78 5-6 1953: 262-268 text-figs.
- 207.—Strachan, I. The Structure and Development of *Peiragraptus fallax*, gen. et sp. nov. A New Graptolite from the Ordovician of Canada. Geol. Mag. 91 6 1954: 509-513 text-figs.

Strachan, I. see Jaanusson, V.

208.—Stumm, E. C. A Devonian Species of *Heliolites* from Nevada. Contr. Mus. Geol. Pal. Michigan Ann Arbor 11 (12) 1954: 223–228 pl. 1.

- 209.—Stumm, E. C. Four New Species of Rugose Corals of the Middle Devonian Genus Eridophyllum, from New York, Michigan, and Ohio. Contr. Mus. Geol. Pal. Michigan Ann Arbor 12 (1) 1954: 1-11 pls. 1, 2.
- 210.—[Sultanaev, A. A.] [Stratigraphy of the Upper Palaeozoic of Kolvo-Vishersk Land.] C.R. Acad. Sci. U.R.S.S. N.S. 98 2 1954: 257-258. [Russian only.]
- 211.—Sutherland, P. K. New Genera of Carboniferous Tetracorals from Western Canada, Geol. Mag. 91 5 1954: 361-371 pl. 10 text-figs.
- 212.—Symoens, J. J. Découverte de la Méduse d'eau douce (Craspedacusta sowerbii) à Anderlecht (Bruxelles). Nat. belges 34 2 1954: 38-40 text-figs.
- 213.—Taki, I. & Oyama, K. Matajiro Yokoyama's The Pliocene and Later Faunas from the Kwanto Region in Japan. Spec. Pap. Palaeont. Soc. Japan 2 1954; 1-68 pls. 1-49. [Coral pl. 1, fig. 2.]
- 214.—Tardent, P. Axiale Verteilungs-Gradienten der interstitiellen Zellen bei Hydra und Tubularia und ihre Bedeutung für die Regeneration. Roux Arch. Entw. Mech. Organ. 146 1954: 593–649 text-figs.

Termier, G. see Termier, H.

- 215.—Termier, H. & Termier, G. Historie Géologique de la Biosphère: 1-721 pls. 1-8 text-figs. Paris, 1952.
- 216.—Thomas, H. D. & Smith, S. The Coral Genus *Halysites* Fischer Von Waldheim. Ann. Mag. nat. Hist. (12) 7 1954 : 765-774 pls. 20-22.
- 217.—Tixier-Durivault, A. Les Octocoralliaires d'Afrique du Sud. Bull. Mus. nat. Hist. nat. Paris (2) 26 1954 : (1) 124-129, (2) 261-268, (3) 385-390, (4) 526-533, (5) 624-631, text-figs.
- 218.—Tokioka, T. Invertebrate fauna of the Tokara islands. I. Introductory notes, with the outline of the shore and the fauna. II. Record of the stranded floating animals. Publ. Seto mar. biol. Lab. 3 2 1953: 123-139 pls. 4-6 text-figs.

Tokuoka, Y. see Komai, T.

- 219.—Tomezyk, H. Stratigraphy of the Gothlandian of the Miedzygorg Basin—Swiety Krzyż Mts. on the Basis of the Fauna from Graptolitic Shales. Bull. Inst. géol. Pologne 93 1954: 1-66 text-figs. 2 tables. [Polish with Russian and English summaries.]
- 220.—Torelli, B. Osservazioni sulla mesoglea di *Calliactis parasilica* (Couch). Arch. zool. ital. Napoli 38 2 1954: 333-340 pl. 1.
- 221.—Totton, A. K. Siphonophora of the Indian Ocean together with systematic and biological notes on related specimens from other oceans. Discovery Rep. 27 1954: 1-162 pls. 1-12 text-figs.
- 222.—Totton, A. K. Egg-laying in Ctenophora. Nature London 174 4425 1954: 360.
- 223.—Trampusch, H. A. L. Inhibition and stimulation of regeneration, Arch. néerl. Zool. 10 1954: 515-516.
- 224.—Trueman, A. The Coalfields of Great Britain; i-x, 1-396 pls. 1-7 text-figs. London, 1954. [Coral, fig. IV, 1b.]
- 225.—Uchida, T. Distribution of Scyphomedusae in Japanese and its Adjacent Waters. J. Fac. Sci. Hokkaido Univ. (Zool.) 12 1954: 209-219 textfigs.
- 226.—Uchida, T. & Iwata, F. On the Development of a Brood-Caring Actinian. J. Fac. Sci. Hokkaido Univ. (Zool.) 12 1954: 220-224 text-figs.
- 227.—Utinomi, H. Coral-dwelling Organisms as Destructive Agents of Corals. Proc. 7th Pacif. sci. Congr. 4 1953: 533-536.
- 228.—Utinomi, H. Invertebrate fauna of the intertidal zone of the Tokara islands. VI. Aleyonaria. Publ. Seto mar. biol. Sta. 3 2 1953: 149-160 pl. 8 text-figs.
- 229.—Utinomi, H. Dendronephthya of Japan, II. New species and new records of Dendronephthya and the allied Stereonephthya from Kü region. Publ. Seto mar. biol. Lab. 3 3 1954: 319-338 pls. 39, 40 text-figs.
- 230.—Verstappen, H. T. The Influence of Climatic Changes on the Formation of Coral Islands. Amer. J. Sci. 252 7 1954 : 428-435 text-figs.
  - Vevers, H. G. see Kennedy, G. Y.

- 231.—Vinogradov, A. P. The Elementary Chemical Composition of Marine Organisms. Mem. Sears Fdn. Mar. Res. 2 1953: 194-219.
- 232.—[Voinovski-Kriger, K. G.] [The development of the septal apparatus in the ontogenesis of four corals.] Bull. Soc. Nat. Moscow 59 5 1954: 51-64 text-figs. [Russian only.]

233 .- Vacant.

Wada, T. see Yanagita, T. M.

- 234.—Wells, J. W. Status of Invertebrate Paleontology, 1953. III. Coelenterata. Bull. Mus. comp. Zool. Harv. 112 3 1954: 109-124.
- 235.—Wells, J. W. Bikini and Nearby Atolls, Part 2, Oceanography (Biologic). Recent Corals of the Marshall Islands. U.S. geol. Surv. Prof. Pap. 260 I 1954: i-iv, 385–486 pls. 94–187 text-figs. tables 1–4.
- 236.—Wells, J. W. Bikini and Nearby Atolls. Part 4. Paleontology. Fossil Corals from Bikini Atoll. U.S. geol. Surv. Prof. Pap. 260P 1954; 609-617 pls. 223, 224 text-figs. (tables).
- 237.—Werner, B. On the Development and Reproduction of the Anthomedusan, *Margelopsis haeckeli* Hartloub. Trans. N.Y. Acad. Sci. (2) 16 3 1954: 143-146.
- 238.—Whittington, H. B. A new Ordovician graptolite from Oklahoma. J. Paleont. 28 5 1954; 613-621 pl. 63 text.figs.
- 239.—Wiborg, K. F. Investigations on Zooplankton in Coastal and Offshore Waters of Western and Northwestern Norway. Fiskeridir. Skr. Havundersøk. 11 No. 1 1954: 1–246 text-figs. [Coelenterates pp. 199–200.]
- 240.—Williams, G. Fauna of Strangford Lough and Neighbouring Coasts. Proc. R. Irish Acad. 56B 3 1954: 29–133 pls. 1–3. [Coelenterates pp. 47–53.]
- 241.—Williams, W. The Big Stretch. Nat. Hist. N.Y. 63 2 1954: 80-85 text-figs.
- 242.—Wirz, K. & Beyeler, M. Recherches sur le zooplancton de surface dans l'ouest de la Méditerrannée occidentale en Juin et Juillet 1952. I.—Partie générale. Vie et Milieu Suppl. No. 3 1954 : 96-114 5 text-figs.

Worth, C. B. see Hunter, G. W.

243.—Yamao, Y. & Makino, N. Histochemistry and Biochemistry of Sea-anemones. 2. Histochemical Distribution of the Acid and Alkaline Glyceromonophosphatases. J. Coll. Arts Sci. Chiba Univ. Nat. Sci. Ser. 1 3 1954: 181–183 text-figs. [Japanese only.]

244.—Yanagita, T. M. & Wada, T. Effects of Trypsin and Thioglycollate upon the Nematocysts of the Sea Anemone. Nature London 173 4395 1954: 171.

Yokoyama, M. see Taki, I.

**245.—Yonge**, C. M. Medusae and Zoophytes. Discovery **15** 9 1954: 356–361 18 text-figs.

246.—Yonge, C. M. The Great Barrier Reef of Australia. Zoo Life 9 1954: 66-71 text-figs.

247.—Yoshida, M. Spawning Habit of Hydractinia epiconcha, a Hydroid. J. Fac. Sci. Tokyo Univ. (Zool.) 7 1 1954: 67-78 pl. 1 text-figs.

## II.—SUBJECT INDEX

## GENERAL LITERATURE AND

Textbooks and General Works,— Barnard 16; [Kanaev] 103; Le Danois 121; Marshall 133; Mellanby 136.

Classification and Nomenclature.— Suppression of the generic name Graptolithus Linnaeus and of the specific name scalaris in the combination Graptolithus scalaris, Opinion 1: suppression of Lomatoceras and Monoprion and validation of Monograptus, OPINION 2; suppression of Gladiolites and validation of Retiolites, OPINION 3: suppression of the generic name Teleosteus Volger and of the specific name primaevus in the combination Teleosteus primaevus, Opinion 4; classification of the Chondrophora and Siphonophora, Totton 221; new names for two genera of octoeorals, Bayer 20: taxonomy of Recent and fossil organisms, SCHINDE-WOLF 185.

Monographs.—Hydromedusae of the British Isles, RUSSELL 183; Siphonophora of the Indian Ocean, TOTTON 221.

Catalogues of type specimens.—In the New York State Museum, KILFOYLE 108; Anthozoaria in the Musée Océanographique de Monaco, PAX & MUELLER 166; Whitfield Collection in the University of California, PECK & MCFAR-LAND 169; in the Museo de Mendoza, Argentina, RUSCONI 182.

Technique.—For preparation of graptolites, Barrass 17; for making sections of fossil corals, Dunbar 57; a new physiological method of determining species of freshwater hydrozoa, Glumac 71.

Adriatic corals in the aquarium, Pax 165.

Coral-dwelling organisms as destructive agents of corals, UTINOMI 227.

## STRUCTURE

"Liquid" cellular structure of Hydra, [Kanaev] 104; of hydromedusae, Rus-SELL 183; of the nematocysts of Hydra. SEMAL-VAN GANSEN 196; morphology of the siphonophores, Torton 221; of some Ordovician graptolites, BARRASS 17; of graptolites, Bulman 39; of certain Dichograptids, Kozłowski 117; of †Peiragraptus fallax, STRACHAN 207; of †Orthoretiolites, WHITTINGTON 238; of coral polyps, Mack 128; the mesoglea of Calliactis parasitica, Torelli 220; of †Actinastraea, Alloiteau 9; of †Cyclolites, GECZY 63; of †Holacanthopora fascialis, LE MAÎTRE 123; of fossil corals, Różkowska 178; septa of †Halysites, Thomas & Smith 216.

#### PHYSIOLOGY

Heterografts between normal Hydra and Hydra irradiated with X-rays, BRIEN 33; a new physiological method to determine species of freshwater hydrozoa, GLUMAC 71; intersexuality and tissue-compatibility in Hydractinia echinata, HAUENSCHILD 79; reversible induction of sexual difference in Hydra. Looms 126; formation of hydranth in Tubularia at the place whence perisarc has been removed, NAKAMURA 147: metagenesis in Hydrozoa, [Naumov] 149; Hydra attenuata, Semal-Van Gansen 194; histophysiology of the endoderm of Hydra littoralis, SEMAL-VAN GANSEN 195; axial distributiongradient of the interstitial cells in Hydra and Tubularia and their significance in regeneration, TARDENT 214; inhibition and stimulation of regeneration in Tubularia, TRAMPUSCH 223; functioning of nematocysts of Hydra, GLUMAC 72; nematocysts of Hydra spp., SEMAL-VAN GANSEN 196: effects of trypsin and thioglycollate upon the nematocysts of Diadumene, YANAGITA & WADA 244; rhythm and afterdischarge in Aurelia aurita, Pantin & DIAS 162; a substance favouring the metamorphosis of larvae of Alcyonium coralloïdes, BOURDILLON 32; poisonmechanism and function of the marginal sacs in actinians, ABEL 5; slow contraction and its relation to spontaneous activity in Metridium senile, BATHAM & PANTIN 19; nerve fibres of Aurelia aurita, Horridge 89; conduction in the nervous system of Aurelia aurita, HORRIDGE 90; comparative physiology of a sp. of Fungia, Hosoi 92; excitation phenomena in an actinian, PANTIN & Dias 161: sense-cells and polarity in a ctenophore, SCHMIDT 186: a violet pigment from Rhizostoma pulmo, CHRISTO-MANOS 45; pigmentation of Pelagia manos 45; pigmentation of relagita noctiluca var. panopyra, Fox & Mil-Lott 60; enzymes in reef-building hydrozoa and corals, Goreau 74; chemical composition of a sp. of Fungia, Hosoi 91, 92; porphyrins in coelenterates, KENNEDY & VEVERS 107: pigmentation of Pelagia noctiluca, MILLOTT & Fox 140; distribution of carotenoids in Actinia equina and Calliactis parasitica, NICOLA & GOOD-WIN 153; chemical composition of coelenterates, VINOGRADOV 231; histochemical distribution of the acid and alkaline glyceromonophosphatases in sea anemones, Yamao & Makino 243.

Stinging Effects on Man.—Dermatitis caused by coelenterates, CHU & CUTRESS 46; coelenterates injurious to Man, MACKIE, HUNTER & WORTH 129; Australian stinging coelenterates, POPE 170; fatal stingings of N. Queensland bathers by medusae, SOUTHCOTT 203.

#### REPRODUCTION

Of British hydromedusae, Russell 183; seasonal breeding behaviour of coelenterates, Redfield et al. 174; of Limnocnida tanganyicae, Bouillon 31; reversible induction of sexual difference in Hydra, Loomis 126; spawning habit of Hydractinia epiconcha, Yoshida 247; strobilation of Stephanoscyphus, Komai & Tokuoka 112; division of an Anthopleura polyp, Williams 241; of corals,

MACK 128; in Margelopsis haeckeli, WERNER 237; egg-laying in Ctenophora, TOTTON 222.

## DEVELOPMENT

The hydropolyp of Limnocnida tanganyicae, BOUILLON 31; gametogenesis and ovogenesis in Hydra, BRIEN 34; origin and localisation of the germinal cells in gymnoblastic hydroids, Brien 35; experimental factors controlling growth in Hydra, Loomis 125; of British hydromedusae, Russell 183; of siphonophores, LELOUP 122; of some siphonophores, Totton 221; of a broodcaring actinian, UCHIDA & IWATA 226; medusae and zoophytes, Yonge 245; of some Ordovician graptolites, Bar-RASS 17; variation in †Dictyonema flabelliforme, Bulman 40; of †Peiragraptus fallax, STRACHAN 207; of †Orthoretiolites hami, WHITTINGTON 238; a substance favouring the metamorphosis of larvae of Alcuonium coralloïdes. BOURDILLON 32: of Margelopsis haeckeli, WERNER 237; of Pocillopora damicornis, ATODA 12; of Stylophora pistillata, ATODA 13; of Diadumene luciae, ATODA 14; post-larval development of Anthopleura sp., ATODA 15; septal development in †Cyclolites, GÉCZY 63; in fossil corals, Różkowska 178; septal development in four Rugose corals, Voïnovski-KRIGER] 232.

## **EVOLUTION AND RELATIONSHIPS**

Origin of the Coelenterata, Pax 164; origin of the siphonophores, Leloup 122; evolution and relationships of the Siphonophora, and the origin of nectophores, Totton 221; of other groups from a jelly-fish type, Richey 176; origin of and evolution in the graptolites, Bulman 39; in Polish Devonian rugose corals, Róźkowska 179; in fossil coelenterates, Wells 234.

## ECOLOGY AND HABITS

Of coelenterates of Whitstable, N. Kent, Newell 151; of the hydromedusae of the British Isles, Russell 183; of siphonophores of the W. Mediterranean, Wirz & Beyeler 242; seasonal changes in the distribution of siphonophores in the Bermuda area, Hala, Moore & Owre 83; conditions controlling the movements of Physalia in Jamaican waters, Fontaine 58; of a S. African estuary, Day, Millard & Broekhuysen 51; of a S. African

cstnary, Millard & Harrison 139; hydrological conditions affecting planktonic coelenterates of Calicut waters (India), Grorogo 65; seasonal distribution and feeding babits of Indian medusac, Naha 146; of corals and hydrozogo of Bikini Atoll. Wills 235; marine fouling by coelenterates and its prevention, Redshald et al. 174; of Polish Devonian rugose corals, Różkowska 179; of fossil coelenterates. Wells 234.

Commensalism, Association and Symbiosis.—Phyllierhoe, Minestra, and the problem of associations in oceans, ANKEL 11; Clytin johnstoni and Obelia geniculata epizoic on copepods, Demouverentles & Nunes 52; hosts of three hydroxoa of western U.S.A., LLAND 78; inter-relationships of the organisms on Raroia Atoll, Doty & Morrison 55; †Cyclolites and Serpula spp., Géory 63.

Coral roefs.—Guilcher 76; influence of climatic changes. Verstaaper 230; types and detrital sediments of roefs. MacNeh. 130; destructive organisms of corals, Utinom 227; the shape of atolls, MacNehl. 131; coral chalks of the Red Ses. Nesteroff 150; Groat Barrier Reef of Australia, Mack 128, Yorge 246; Rarois, Doty & Morrison 55, Newell. 152; Takarazima and Nakanosima reefs (Tokara Islands), Tokioka 216; Rikini Atoll, Wells 235; coral reefs in geological history, Tremuer & Termuer 245; Jurassie reef in France, Dangrad 49, 50; Carboniferous of England, Black 25; Devonian of New York, Oliver 155.

## DISTRIBUTION

## 1.-GEOGRAPHICAL

1. MARINE

Atlantic Ocean (including Mediterranean and Black Seas).—Coelenterates of Whitstable, N. Kent, Newell 151; medusae of the Isle of Man, Southward 204; coelenterates of Ireland, Williams 240; planktonic coelenterates of western Norway, Wibord 239; hydromedusae of the British Isles, Russell 183; Errina aspera from the Mediterranean and other localities, Boschma 27; aberrant hydroids of the Mediterranean, Huvé 96; Siphonophora of the Mediterranean, West Indies, etc., Totron 221; siphonophores of the W. Mediterranean,

terranean, Wirz & BEYELER 242; siphonophores in the Gulf of Mexico, SEARS 191; hydromedusae of the Gulf of Mexico, SEARS 190; hydroids of the Gulf of Mexico, Drevey 54; movements TAINE 58; jellyfishes on the Welsh coast, BARRETT 18; seyphozoans of the Gulf of Mexico, HEDGERTH 81; octocorals of the W. Mediterranean, BEREN-PAX & MULLER 168; octocorals of South Africa, Tixier-Durivault 217; aleyonarians in the Gulf of Mexico, BAYER Adriatic Sea, Broch 36; two zooantharia of Spain, Martin & Crentert 134; from the Adriatic Sea, PAX 163; corals of the Adriatic Sea, PAX & MULLER 167: madreporarian corals of W. Africa, BUCHANAN 37; two madreporarian corals of W. Africa, Monod 142; FONTAINE 59; anemones of the Gulf of SEARS 192.

Pacific Ocean.—Siphonophora, Totton 221; three hydroxoa (one new) of the U.S.A., Hand 78; new spp. of hydroids from Sakhalin and the Kurile Islands, [Naumov] 148; key to gymnoblastic hydroids and medusae of New Zealand, Ralph 172; scyphomedusae in Japanese and adjacent waters, Uchidal 225; alcyonarians of Japan, Utinom 229; alcyonarians of the Tokara islands, Utinom 228; hydroxoa and corals of two Japanese islands, Tokidka 218; hydroxoa and corals of the Marshall Islands, Wells 235; Anthopicura elegantissima of California, Williams 241; revision of Montipora ecrucosa from the Hawaiian Islands, Boschaa 28; actimarians and zoantharians from S. Australia and New Zealand, Carloren 41; stony corals of Queensland, Salter 184; records of Hawaiian ctenophores, Matthers 185.

Indian Ocean.—Planktonic coelenterates of Calicut, Grouge 65; Siphonophora, Totton 221; medusae of India, NAIR 146; Indian hydrozoa and scyphozoa, NAIR 145; actiniarians and zoantharians from West Australia, Carloren 41; Corymorpha in Indian waters, Ranade 173.

Arctic Ocean,—Siphonophora, Torrox 221; planktonic coelenterates of western Norway, Wisono 239.

Antarctic Ocean. — Siphonophora, Torron 221.

### B .- FRESHWATER

Hydrozoa, Drews 56; a new method of determining species, Glubac 71; general biology of hydroids, Mellanby 136; hydrozoa of Ceremera, Bordenora 26; coelenterates of Rhine canals, Rüsche 180; hydrozoa of Russia, Rische 180; hydrozoa of Russia, Kanaev] 103; hydropolyp of Limnochida tanganyicae, Bouillon 31; Limnochida tanganyicae in African lakes, Kramp 118; Cordylophora in New Zealand, Ralph 172.

Craspedacusta.—C. sowerbyi in Great Britain, Russell 183; C. sowerbii in Belgium, Symoens 212; C. sowerbii in Illinois, Moore 143; C. sowerbyi in Australia, McNeill 132.

Hydra.—Chlorohydra viridissima in Switzerland, Messhkommer 138; H. attenuata, Semal-Van Gansen 194; H. zulgaris in the Belgian Congo, Semal-Van Gansen 193; new spp. of Hydra from Japan, Iró 97, 98, 100; a new sp. of Pelmatohydra from Japan, Iró 99.

#### 2.—GEOLOGICAL

Tertiary.—Corals in S. Australia, REYNOLDS 175.

Pleistocene.—Revision of spp. of Heliastraea, Chevaller 43; corals of Java, Osberger 158; corals from Bikini drill holes, Wells 236.

Plio-Pleistocene.—Corals of Timor, OSBERGER 157.

Pliocene.—Revision of spp. of Heliastraea, Chevalies 43; corals of Java, Obberger 158; a Japanese coral, Taki & Oyama 213; corals from Bikini drill holes, Wells 236.

Miocene.—Revision of spp. of Heliastraea, Chevalier 43; corals of Hungary, Kopek 114; two corals from Hungary, King 109; corals of Java, Obberger 158; corals from Bikini drill holes, Wells 236.

Oligocene.—Revision of spp. of Heliastraea, Chevaller 43; corals of France, Chevaller 44; corals of Germany, Kühn 120. Eccene.—A new genus of hydrozea from Hungary, Boschma 29; corals of France, Chryalier 44.

Cretaceous.—A new genus and sp. of stromatoporoid from Iraq, Hudbson 93; corals and a hydrozoan of Hungary, Kolossváry 111; revision of spp. of Heliostraea, Chevalter 43; new genera of hexacorals from France and northwest Africa, Allotteau 9; Phyllosmilia of France, Allotteau 10; Cychilies of Hungary, etc., Geory 63.

Jurassic.—Stromatoporoids of the Lebanon, Hudson 94; stromatoporoids of Arabia and the Lebanon, Hudson 95; a jelly-fish from Germany, Adam 6; revision of spp. of Heliastraea, Chevaluee 43; a coral in England, Gilbert 70; a new genus of hexacoral from Switzerland, Allouteau 8; corals of Germany, Gever 68; corals of Württemberg, Gever 69; a Liassic hexacoral from Italy, Conti 47; hydrozoa of Slovenia, Germovsek 67; corals of Gruzia, U.S.S.R., [Bendukudzel] 22; corals in the reefs of the Crimea, [Karlov] 105.

Triassic.—Corals of Italy, Contr 47.
Upper Palaeozoic.—Corals of Russia, [Sultanaev] 210.

Permian.—A rugose coral of Montenegro, Kostić-Podeorska 116; corals of the eastern Altai Range, [Listzina & Bogushi 124; corals of Spitzbergen, Padoget 160; coral fauna of Japan, Hayasaka & Mirkato 80.

Permo - Carboniferous. — Corals in Queensland, Hill 85.

Carboniterous.—Two dendroid graptolites in Morocco, Hindermeyer 88; a new dendroid graptolite from South Dakota, Decker 53; corals in Wales, George 66; a coral of Great Britain, Trueman 224; corals in Spain, García-Feente 61; corals of Yugoslavia, Kostić-Podegorska 115; corals of Spitzbergen, Padget 160; corals of Spitzbergen, Padget 160; corals of stratigraphical importance in Russia, [Chernov] 42; a coral in the Urals, [Smirnov & Smirnova] 199; coral fauna of Japan, Hayasaka & Minato 80; corals of Japan, Konishi 113; rugose corals of the Sahara and the U.S.A., Termere & Termer 215; a coral in California, Merriam 137; American type corals in the Whitfield

Collection, PECK & McFarland 169; new genera of tetracorals from Western Canada, Sutherland 211.

Devonian. - Stromatoporoids and corals of the Carnic Alps, SCHOUPPÉ 189: stromatoporoids and corals in Canada. STEPHEN 205: tabulate corals of Austria, KROPFITSCH & SCHOUPPÉ 119; a new genus of tabulate coral from N. Africa, LE MAÎTRE 123; a new sp. of Heliolites from Nevada, STUMM 208; a tabulate and a rugose coral, TERMIER & TER-MIER 215; corals in Spain, GARCÍA-FUENTÉ 61, 62; corals in Austria, SCHOUPPÉ 187; corals of Poland, MOENKE 141, RÓŻKOWSKA 179; corals of stratigraphical importance in Russia, [CHERNOV] 42; coelenterates of the main Devonian area in the Russian platform, [GEKKER] 64; corals of Russia, [Soshkina] 201, 202; corals of W. Australia, Hill 86; corals of Victoria, Hill 87; a new rugose coral from New South Wales, PACKHAM 159; American type corals in the Whitfield Collection, PECK & McFarland 169; corals in New York State, OLIVER 156; new spp. of Eridophyllum from the U.S.A., STUMM 209.

Silurian.—Use of graptolites in geological mapping, Jones 102; Graptolithina (general), [OBUT] 154; graptolites of Eire, COPE 48; graptolites in Spain, GARCÍA-FUENTE 61, 62, HABER-FELNER 77, HENKE & HUNDT 84: graptolites of Germany, GRUHL 75; a new variety of Dictyonema textile from Germany, MÜNCH 144; graptolite occurrences in central Europe, Beyer 24; Cyrtograptids of Bohemia, Bouček & PRIBYL 30; graptolitic shales of Poland, Tomczyk 219; graptolites of Bulgaria, Přibyl 171; graptolites of New South Wales, SHERRARD 197, STEVENS 206; graptolites and two tabulate corals of Germany, ROTH 177; a stromatoporoid and corals in N.E. Greenland, ADAMS & Cowie 7: stromatoporoids and corals of the Carnic Alps, SCHOUPPÉ 189; neotypes of Halysites catenularius and H. escharoides, THOMAS & SMITH 216; tabulate corals in California, MERRIAM 137; rugose and tabulate corals of Austria, Schouppé 188; Goniophyllum pyramidale, Termier & Termier 215; a Russian coral, [GOFSHTEIN] 73; corals of New South Wales, HILL 86; American type-corals in the Whitfield Collection, PECK & McFarland 169.

Ordovician.-Use of graptolites in geological mapping, Jones 102; Graptolithina (general), [OBUT] 154; graptolites of Spain, HABERFELNER 77. HENKE & HUNDT 84; new genera and spp. of graptolites from Poland, KozŁowski 117; graptolites of Norway, BULMAN 38; graptolite succession of Scandinavia. Jaanusson & Strachan 101; graptolites of New South Wales, SHERRARD 197, STEVENS 206; graptolites from Canada, Barrass 17; a new genus and sp. of graptolite from Canada, STRACHAN 207; a new genus of graptolite from Oklahoma, WHITTINGTON 238: a graptolite of northern Argentina, Loss 127: graptolites in Peru, Rusconi 181; a graptolite and a coral in N.E. Greenland, Adams & Cowie 7; graptolites and corals of New York State, KAY 106; stromatoporoids and corals in Ontario. SINCLAIR 198.

Cambrian.—Graptolites of S. Norway, Bulman 40; a Tremadocian graptolite, Termier & Termier 215.

## III.—SYSTEMATIC INDEX

Full references are given only in the case of a new species. In other cases the numeral in "Large bold clarendon," e.g., 15, refers to the list of titles where the full reference is to be found. Where a reference is given in the Systematic Index, the volume number is printed in "Small bold clarendon," e.g., 15.

#### **HYDROZOA**

Abyla discussed p. 143, schmidti p. 147 fig., trigona p. 146 fig., aff. trigona p. 146 fig., aff. trigona p. 146 fig., tottoni p. 151 fig., haeckeli p. 151, ingeborgae p. 152 fig., Totton 221.

Abylidae discussed p. 144, Totton 221.

Abylopsis tetragona p. 155 fig., Torton 221.

†Actinostroma grossum sp. n. pp. 347, 375 fig., subsp. robustissimum subsp. n. pp. 348, 376 fig., Jurassic Slovenia, Germovšek Diss. Acad. Sci. Art. Sloven. Cl. 4 Hist. nat. 2 1954.—A. elathratum p. 431 fig., Schouppé 189.—A. praesalevensis see Actinostromaria.

†Actinostromaria cf. Actinostroma praesalevensis p. 658 fig., Hudson 94.— A. tubulata sp. n. pp. 350, 376 fig. Jurassic Slovenia, Germovšek Diss. Acad. Sci. Art. Sloven. Cl. 4 Hist. nat. 2 1954.

†Actinostromina gen. n. (fam. Actinostromidae) pp. 371, 377 fig., type species (by original designation) oppidana sp. n. pp. 351, 377 fig. Jurassic Slovenia, GERMOVŠEK Diss. Acad. Sci. Art. Sloven. Cl. 4 Hist. nat. 2 1954.

Aegina defined p. 467, citrea p. 467 fig., RUSSELL 183.

Aeginidae discussed p. 467, Russell 183.

Aeginura defined p. 472, grimaldii p. 472 fig., Russell 183.

Aequorea pensile p. 67, conica p. 68, NAIR 145.—A. discussed p. 342, forskalea p. 342 fig., vitrina p. 350 fig., pensilis p. 355 fig., Russell 183.

Aequoreidae discussed p. 337, Russell 183.

Aequoreinae defined p. 342, Russell 183.

Agalma sp. ind. Totton (1932) is Stephanomia rubra p. 52, elegans p. 61 fig., okenii p. 64 fig., Totton 221

Agastra defined p. 303, mira p. 303 fig., Russell 183.

Aglantha defined p. 447, digitale var. rosea p. 447, Russell 183.

Aglaura hemistoma p. 69, NAIR 145. Agliscra ignea p. 96 fig., MARSHALL

Amphicaryon p. 92, acaule p. 92, ernesti sp. n. p. 94 fig. S. and E. Africa and Red Sea, peltifera p. 92, Totton Discovery Rep. 27 1954.

Amphinema dinema p. 52, NAIR 145.

—A. defined p. 179, dinema p. 180 fig., rugosum p. 183 fig., Russell 183.

Amphineminae defined p. 179, Russell 183.

†Amphipora [as Amphiphora (sic)] aethiopiae possibly a Cladocoropsis p. 213. HUDSON 95.

Annatiara defined p. 200, affinis p. 200 fig., RUSSELL 183.

Archisoma natans is a sp. of Nectopyramis p. 82, TOTTON 221. †Astrostylopsis gen. n. (fam. Trupetostromidae) pp. 361, 381, slovenica pp. 361, 381 fig., grabenensis pp. 364, 381 fig., spp. n. Jurassic Slovenia, Germovšek Diss. Acad. Sci. Art. Sloven. Cl. 4 Hist. nat. 2 1954.

Athorybia p. 37, rosacea p. 38 fig., Totton 221.

Athorybiadae p. 37, Torron 221.

†Axopora solanderi p. 100 fig., michelini p. 100 fig., BOSCHMA 29.

†Axoporella gen.n. (fam. Axoporidae) p. 101, type species (by original designation) kolosváryi sp. n. pp. 101, 103 fig. Eocene Hungary, Boschma Versl. gewone Vergrad. Akad. Amst. 63 4 1954.

Bargmannia gen. n. (fam. Athorybiadae) p. 69, type species (by original designation) elongata sp. n. p. 69 fig. S. and E. Africa, Totton Discovery Rep. 27 1954.

†Bekhmeia gen. n. (fam. Burgundiidae) p. 48, type sp. (by original designation) wetzeli sp. n. p. 49 fig. Lower Cretaceous Iraq, Hudson J. Paleont. 28 (1) 1954.

Bonneviella enterovillosa p. 34 fig., uschakovi p. 35 fig., spp. n. Sakhalin and the Kurile Islands, [NAUMOV] Trav. Inst. zool. Acad. Sci. S.S.S.R. 12 1952.

Botrynema defined p. 459, brucei p. 459 fig., Russell 183.

Bougainvillia [as Bougainvillea (sic)] fulva p. 54, NAIR 145.—B. inaequalis p. 63 fig., ramosa p. 64 fig., RALPH 172.—B. defined p. 165, ramosa p. 153 fig., britannica p. 158 fig., principis p. 164 fig., pyramidata p. 167 fig., superciliaris p. 169 fig., macloviana p. 173 fig., RUSSELL 183.

Bougainvilliidae discussed p. 143, RUSSELL 183.

Bougainvilliinae discussed p. 152, Russell 183.

Bythocellata gen. n. (fam. Bythotiaridae) p. 56, type sp. (by original designation) cruciformis sp. n. p. 56 fig. India, NATR Bull. centr. res. Inst. Univ. Travancore 20 1 1951.

Bythotiara defined p. 214, murrayi
 p. 215 fig., Russell 183.

Calycopsinae discussed p. 214, Russell 183.

Calycopsis p. 214, Russell 183.

Campalecium p. 182, medusiferum p. 183 fig., Huvé 96.

Campanulariidae discussed p. 284, RUSSELL 183.

Campanularinae defined p. 284, RUSSELL 183.

Campanulina paracuminata possibly the hydroid of Aeguorea forskalea p. 344, 'C.' acuminata possibly the hydroid of A. vitrina p. 354 fig., RUSSELL 183.

Ceratocymba p. 143, dentata p. 152 fig., saqittata p. 153 fig., leuckartii p. 153 fig., Totton 221.

Chelophyes appendiculata p. 127 fig., contorta p. 130 fig., Totton 221.

Chlorohydra viridissima p. 29, [KA-NAEV] 103.

Chromatonema defined p. 222, rubrum p. 223, Russell 183.

Chuniphyes p. 131, multidentata p. 131 fig., moserae sp. n. p. 131 fig. S. Indian Ocean, Bermuda, etc., Totton Discovery Rep. 27 1954.

Chuniphyinae subtam. n. (of Diphyidae) p. 131, Totton Discovery Rep. 27 1954.

†Cladocoropsis dubertreti p. 658, Hudson 94.—C. discussed p. 212, dubertreti sp. n. p. 213 fig. Jurassic Lebanon, Hudson Notes Mém. Moyen-Orient Paris 5 1954.

Cladonema novae-zelandiae sp. n. p. 72 fig. New Zealand, RALPH Tuatara 5 2 1953.—C. radiatum p. 105 fig., sp. of Robson is Gonionemus murbachi p. 402 fig., RUSSELL 183.

Cladonemidae defined p. 105, Russell 183.

†Clathrodictyon regulare p. 434, Schouppé 189.

Clausophyes p. 133, ovata p. 133 fig., galeata p. 134, Totton 221.

Clavidae discussed p. 114, Russell 183.

Colobonema defined p. 435, sericeum p. 436 fig., typicum an obsolete or doubtful sp. p. 440, Russell 183.

Cordagalma cordiformis p. 69, Totton 221.

Cordylophora lacustris subsp. otagoensis p. 64 fig., RALPH 172.

Corymorpha sp. p. 219 fig., RANADE 173.—C. nana p. 84, RUSSELL 183.

Corymorphinae discussed pp. 75, 83, Russell 183.

Coryne vaginata p. 66 fig., RALPH 172.—C. decipiens synonymous with sarsii p. 61, gravata synonymous with lovémi p. 61, RUSSELL 183.

Corynidae discussed p. 47, Russell 183.

Cosmetira defined p. 266, pilosella p. 266 fig., Russell 183.

Craspedacusta sowerbyi p. 225 fig., McNehll 132.—C. sowerbii p. 1 fig., Moore 143.—C. defined p. 408, sowerbyi p. 408 fig., Russell 183.—C. sowerbii p. 38 fig., Symoens 212.

Crossota brunnea p. 98 fig., MARSHALL 133.—C. defined p. 444, rufobrunnea p. 444 fig., Russell 183.

Crystallophyes amygdalina p. 134 fig., Totton 221.

Cuninidae discussed p. 463, Russell 183.

Cunoctantha octonaria p. 71, NAIR 145.

Cupulita picta is Nanomia bijuga p. 52, Totton 221.

†Cyclicopsis florida pp. 355, 378 fig., carniolica pp. 357, 379 fig., globosa pp. 359, 380 fig., spp. n. Jurassic Slovenia, Germovšek Diss. Acad. Sci. Art. Sloven. Cl. 4 Hist. nat. 2 1954.

Cytaeis tetrastyla p. 53, NAIR 145.

Dimophyes arctica p. 123, Totton 221.

Diphyes chamissonis p. 130, Torron 221.

Dipleurosoma defined p. 251, typicum p. 251 fig., RUSSELL 183.

Dipleurosomidae fam. n. p. 251, RUSSELL The Medusae of the British Isles 1953.

Dipurena defined p. 67, halterata p. 67 fig., ophiogaster p. 71 fig., RUSSELL 183.

Distichopora violacea p. 476 fig., fisheri p. 476 fig., Wells 235.

Ectopleura dumortieri, minerva p. 51, NAIR 145.—E. defined p. 76, dumortieri p. 76 fig., RUSSELL 183.

Eirene defined p. 321, viridula p. 321 fig., RUSSELL 183.—E. hexanemalis p. 63, ceylonensis p. 64, NAIR 145.

Eirenidae defined p. 321, Russell 183.

Eleutheria dichotoma p. 110 fig., RUSSELL 183.

Eleutheriidae fam. n. p. 110, Russell The Medusae of the British Isles 1953.

Endocrypta huntsmani p. 66 fig., RALPH 172.

Errina aspera p. 143 fig., Boschma 27.—E. sp. p. 476, Wells 235.

Eucheilota defined p. 310, maculata p. 311 fig., Russell 183.

Eucodonium defined p. 93, brownei p. 93 fig., Russell 183.

Eucope fragilis nearly related to, if not the same as, Phialella quadrata p. 320, RUSSELL 183.

Eudendrium insigne p. 63 fig. RALPH 172.

Eudoxia macra sp. n. p. 118 fig. S. and E. Africa and S.E. Indian Ocean, Totton Discovery Rep. 27 1954.

Euphysa defined p. 89, aurata p. 90 fig., RUSSELL 183.

Euphysora bigelowi p. 50, NAIR 145.

Eutima defined p. 359, gracilis p. 359 fig., var. insignis p. 362 fig., RUSSELL 183.—E. mira p. 63, NAIR 145.

Eutimidae discussed p. 359, Russell 183.

Eutonina defined p. 374, indicans p. 374 fig., RUSSELL 183.

Forskalia p. 70, edwardsii p. 71 fig., sp. or spp. p. 73 fig., Totton 221.

Galetta a junior synonym of Sulculeolaria p. 101, "G. australis" p. 101, TOTTON 221.

Geryonidae discussed p. 419, RUSSELL 183.

Gonionemus defined p. 398, vertens p. 398 fig., murbachi p. 402 fig., RUSSELL 183.—G. suvaensis p. 68, NAIB 145.—G. murbachi p. 360 fig., YONGE 245.

Gossea defined p. 403, corynetes p. 403 fig., Russell 183.

Halecium torreyi is a Campalecium p. 183, Huvé 96.

Halicreas rotundatum p. 96 fig., MARSHALL 133.—H. defined p. 452, minimum p. 452 fig., RUSSELL 183.

Halicreidae discussed p. 451, Russell 183.

Haliscera defined p. 456, bigelowi p. 456 fig., Russell 183.

Halopsis defined p. 273, ocellata p. 273 fig., Russell 183.

Helgicirrha defined p. 328, schultzei p. 328 fig., Russell 183.—H. malayensis p. 64, madrasensis p. 65, NAIR 145.

Heteropyramis maculata p. 137 fig., Totton 221.

Heterotiara p. 214, RUSSELL 183.

Hippopodiidae post-larvae p. 73, Tottom 221.

Hippopodius hippopus p. 99, cuspidatus possibly a synonym of Nectopyramis spinosa p. 86, Totton 221.

Hybocodon defined p. 79, prolifer p. 79 fig., Russell 183.—H. forebessi [sic] p. 50 fig., unicus p. 50, Nair 145.—H. prolifer p. 70 fig., Ralph 172.

Hydra parva sp. n. p. 1 fig. Japan, Irô Sci. Rep. Tôhoku Univ. (4) 18 1 1947.—H. magnipapillata sp. n. p. 6 fig. Japan, Irô Sci. Rep. Tôhoku Univ. (4) 18 1 1947.—H. japonica p. 17 fig., paludicola p. 21 fig., spp. n. Japan, Irô Sci. Rep. Tôhoku Univ. (4) 18 1947.—H. oligactis p. 30 fig., braueri p. 30 fig., vulgaris p. 31 fig., attenuata p. 31 fig., baicalensis p. 32 fig., circumcincta p. 32 fig., cayenidoides p. 33, [Kanaev] 103.—H. vulgaris vulgaris p. 267 fig., Semal-Van Gansen 194.—H. attenuata, oligactis, viridissima nematocysts p. 269 fig., Semal-Van Gansen 196.

Hydractinia? parvispina p. 63 fig., RALPH 172.

Hydractiniidae discussed p. 120, Russell 183.

Hydranthea p. 173, aloysii p. 175 fig., margarica p. 178 fig., Huvé 96.

†Hydrozoa sp. p. 239 fig., Kolosváry 110.

Kollikerina elegans p. 55, NAIR 145.

Laodicea defined p. 230, undulata p. 230 fig., Russell 183.—L. undulata var. indica p. 59, Nair 145.

Laodiceidae discussed p. 229, Russell 183.

Lensia p. 110, hotspur p. 110, challengeri sp. n. p. 11 fig. S. California, cossack, subtiloides p. 112, leloupri sp. n. p. 113 fig. Gulf of Guinea, multicristata p. 113, conoidea p. 114 fig., subtilie var. p. 114 fig., meteori p. 117 fig., reticulata sp. n. p. 118 fig. S. and E. Africa, Totton Discovery Rep. 27 1954.

Leuckartiara defined p. 187, octona p. 188 fig., nobilis p. 195 fig., brevicornis p. 198 fig., RUSSELL 183.—L. octona p. 52, NAIR 145.

Lilyopsis rosea, sp. p. 88, Totton 221.

Limnocnida p. 207, tanganyicae p. 208 fig., Kramp 118.

Liriope defined p. 419, tetraphylla p. 419 fig., exigua, eurybia p. 429, RUSSELL 183.—L. tetraphylla p. 70, NAIR 145.

Lizzia defined p. 145, blondina p. 145 fig., Russell 183.

Lizziinae subfam. n. (of Bougainvilliidae) p. 144, Russell The Medusae of the British Isles 1953.

Lovenella defined p. 306, clausa p. 307 fig., Russell 183.

Lovenellidae fam. n. p. 306, Russell. The Medusae of the British Isles 1953.

Maresearsia gen. n. (fam. Prayidae) p. 97, type species (by original designation) pracelara sp. n. p. 97 fig. Bermuda and S. and E. Africa, Totton Discovery Rep. 27 1954.

Margelopsidae discussed p. 95, Russell 183.

Margelopsis haeckeli p. 95 fig., Russell 183.

Marrus gen. n. (fam. Athorybiadae) p. 55, type species (by original designation) antarcticus sp. n. p. 55 fig. Antarctic and Sub-antarctic, orthocannoides sp. n. p. 59 fig. W. Indian Ocean, TOTTON Discovery Rep. 27 1954.

Melicertidae fam. n. p. 245, Russell The Medusae of the British Isles 1953.

Melicertissa clavigera p. 59, platygastra sp. n. p. 60 fig. India, NAIR Bull. centr. res. Inst. Univ. Travancore 2C 1 1951.

Melicertum defined p. 245, octo-costatum p. 245 fig., RUSSELL 183.

Melophysa p. 40, melo p. 41 fig., Totton 221.

Merga violacea p. 51, NAIR 145.

Millepora platyphylla p. 475 fig., tenera p. 475 fig., exaesa p. 475 fig., Wells 235.

†Millepora sp. p. 614 fig., Wells 236.

†Milleporidium styliferum subsp. vermiculatum subsp. n. pp. 368, 383 fig. Jurassic Slovenia, Germovšek Diss. Acad. Sci. Art. Slov. Cl. 4 Hist. nat. 2 1954.—M. libanoticum sp. n. p. 658 fig. Jurassic Lebanon, Hudson J. Paleont. 28 5 1954.—M. somaliense p. 219 fig., Hudson 95.—M. cf. remesi p. 240 fig., sp. p. 240 fig., Kolosváry 110.—M. sp. p. 115, Kolosváry 111.

Misakia possibly a synonym of Proboscidactyla p. 393, Russell 183.

Mitrocomella defined p. 257, polydiademata p. 257 fig., brownei p. 261 fig., RUSSELL 183.

Mitrocomidae discussed p. 256, Russell 183.

Modeeria formosa p. 482 fig., Russell 183.

Muggiaea atlantica p. 120, bargmannae sp. n. p. 121 fig. Antarctic, etc., delsmani sp. n. p. 123 fig. Java Sea, TOTTON Discovery Rep. 27 1954.

Nanomia bijuga p. 52 fig., Totton 221.

Nectopyramis p. 77, thetis p. 78 fig., natans p. 82 fig., diomedeae p. 83 fig., spinosa p. 86 fig., Totton 221.

Nemopsis discussed, crucifera p. 152, Russell 183.

Neoturris defined p. 203, pileata p. 203 fig., Russell 183.—N. vesicaria p. 75 fig., Ralph 172.

Niobia dendrotentaculata p. 55, NAIR 145.

Nuditheca dogieli sp. n. p. 37 fig. Sakhalin and the Kurile Islands, [NAUMOV] Trav. Inst. zool. Acad. Sci. S.S.R. 12 1952.

Obelia defined p. 296, spp. p. 297 fig., geniculata p. 302 fig., dichotoma p. 303 fig., longissima p. 303 fig., Russell 183.

—O. sp. p. 61, NAIR 145.

Obelinae defined p. 296, Russell 183.

Oceania pusilla is ? Pochella polynema or young Turritopsis nutricola p. 483, ducalis p. 483 fig., globulosa p. 484 fig., RUSSELL 183.

Octocanna defined p. 337, funeraria p. 337 fig., RUSSELL 183.—O. polynema p. 65, NAIR 145.

Octocanninae defined p. 337, Russell 183.

Octorchis defined p. 367, gegenbauri p. 367 fig., Russell 183.

Olindias singularis p. 69, NAIR 145.

Olindiidae discussed p. 397, Russell 183.

Orthopyxinae defined p. 303, Russell 183.

Orthopyxis integra not synonymous with caliculata p. 306, Russell 183.

Pandea defined p. 207, conica p. 207 fig., rubra p. 211 fig., Russell 183.

Pandeidae discussed p. 177, Russell 183.

Pandeinae defined p. 187, Russell 183.

Pantachogon defined p. 440, haeckeli p. 440 fig., Russell 183.

†Parastromatopora libani sp. n. p. 659 fig. Jurassic Lebanon, Hudson J. Paleont. 28 5 1954.

Pelagohydra mirabilis pp. 66, 74 fig., RALPH 172.

Pelmatohydra robusta sp. n. p. 12 fig. Japan, Irô Sci. Rep. Tôhoku Univ. (4) 18 I 1947.

Pennaria australis p. 70 fig., RALPH 172.

Phialella defined p. 314, quadrata p. 315 fig., Russell 183.

Phialellidae fam. n. p. 314, Russell The Medusae of the British Isles 1953.

Phialidium defined p. 284, hemisphaericum p. 285 fig., islandicum p. 294 fig., RUSSELL 183.—P. hemisphaericum p. 61, NAIR 145.

Phialopsis defined p. 333, diegensis p. 333 fig., Russell 183.

Phialucium mbengha p. 62, NAIR 145.

Physophora hydrostatica p. 42 fig., Totton 221.

Pochella defined p. 393, polynema p. 394 fig. is possibly Oceania pusilla p. 483, Russell 183.

Podocoryne defined p. 120, carnea p. 121 fig., borealis p. 125 fig., hartlaubi p. 130 fig., minima p. 134 fig., RUSSELL 183.

Polyxenia alderi is possibly Solmissus incisa p. 484 fig., Russell 183.

Porpema prunella a sp. of Porpita p. 33, TOTTON 221.

Porpita discussed p. 33, porpita p. 33, umbella and pacifica are synonyms of porpita p. 33, prunella p. 33, Totton 221.

Praya diphyes, medusa p. 88, Totton 221.

Prayidae post-larvae p. 73, Totton 221.

Proboscidactyla defined, a senior synonym of Willia p. 386, stellata p. 386 fig., RUSSELL 183.—P. flavicirrata p. 52 fig., circumsabella sp. n. p. 58 fig. California, occidentalis p. 60 fig., Hand Pacif. Sci. 8 l 1954.—P. ornata, mutabilis p. 57, Nair 145.

Proboscidactylidae discussed p. 386, Russell 183.

Rathkea defined p. 137, octopunctata p. 137 fig., Russell 133.—R. rubence sp. n. p. 54 fig. India, NAIR Bull. centr. res. Inst. Univ. Travancore 2C 1 1951.

Rathkeidae fam. n. p. 137, Russell The Medusae of the British Isles 1953.

Rhopalonema defined p. 430, velatum p. 430 fig., funerarium p. 434 fig., Russell 183.

Rhopalonematidae discussed p. 429, Russell 183.

Rosacea p. 87, cymbiformis p. 89, plicata pp. 74, 89 fig., Totton 221.

Sarsia p. 49, eximia p. 50 fig., prolifera p. 52 fig., tubulosa p. 55 fig., gemmifera p. 61 fig., nodosa p. 481 and as a synonym of Podocoryne carnea p. 121, Russett. 183.—S. eximia p. 74 fig., Ralph 172.

†Shuqraia gen. n. p. 213, type species (by original designation) Milleporidium zuffardiae pp. 213, 218 fig. Jurassic Ethiopia, heybroeki sp. n. p. 214 fig. Jurassic Arabia, arabica sp. n. p. 216 fig. Jurassic Arabia, cf. Stromatopora douvillei p. 218 fig., HUDSON Notes Mém. Moyen-Orient Paris 5 1954.

Solmaridae discussed p. 476, Russell 183.

Solmaris defined p. 476, corona p. 476 fig., Russell 183.—S. lenticula p. 70, Nair 145.

Solmissus defined p. 464, incisa p. 464 fig. is possibly Polyxenia alderi p. 485, Russell 183.

Solmundella bitentaculata p. 70, NAIR 145.

†Sphaeractinia kuehni sp. n. pp. 373, 385 fig. Jurassio Slovenia, Germovšek Diss. Acad. Sci. Art. Sloven. Cl. 4 Hist. nat. 2 1954.

†Sporadoporidiidae fam. n. pp. 370, 385, Germovšek Diss. Acad. Sci. Art. Sloven. Cl. 4 Hist. nat. 2 1954. †Sporadoporidium gen. n. (fam. Sporadoporidiidae) pp. 370, 384, type species (by original designation) rakoveci sp. n. pp. 370, 384 fig. Jurassic Slovenia, Germovšek Diss. Acad. Sci. Art. Sloven, Cl. 4 Hist. nat. 2 1954.

Stauridiosarsia defined p. 64, producta p. 64 fig., Russell 183.

Staurocladia hodgsoni p. 70 fig., RALPH 172,

Staurodiscus tetrastaurus p. 60, NAIR 145.

Staurophora defined p. 239, mertensi p. 239 fig., Russell 183.

Steenstrupia defined p. 83 fig., Russell 183.

Stephanomia bijuga p. 99 fig., MAR-SHALL 133.—S. discussed p. 46, rubra p. 47 fig., TOTTON 221.

Stephanophyes superba p. 88, Totton 221.

Stomotoca rugosa p. 64 fig., RALPH 172.

†Cf. Stromatopora douvillei p. 218 fig., 'S.' harrarensis p. 219 fig., 'S.' kurtchensis p. 219 fig., Hudson 95.

†Stromatoporella fibrocrystallina sp. n. pp. 354, 377 fig. Jurassic Slovenia, Germovšek Diss. Acad. Sci. Art. Sloven. Cl. 4 Hist. nat. 2 1954.

†Stromatoporina of. douvillei p. 660, Hudson 94.

Stylaster asper p. 475 fig., elegans p. 476 fig., Wells 235.

Sulculeolaria p. 100, biloba p. 104 fig., turgida p. 107 fig., angusta sp. n. p. 108 fig. 8. and E. Africa, quadrivalvis p. 109, Totton Discovery Rep. 27 1954.

Sulculeolariinae subfam. n. (of Hippopodiidae) p. 100, Totton 221.

Syncoryne tenella p. 68 fig., eximia p. 68, RALPH 172.—S. lovéni p. 61 fig., Russell 183.

†Syringostromina sp. p. 660, Hudson 94.

Thalassophyes crystallina p. 141 fig., TOTTON 221.

Thannostona defined p. 150, sp. p. 150 fig., russellii p. 151 fig., Russell 183.

Thamnostominae defined p. 150, RUSSELL 183.

Thuiaria alternans p. 37 fig., gonorhyza p. 38 fig., spp. n. Sakhalin and the Kurile Islands, [Naumov] Trav. Inst. zool. Acad. Sci. S.S.S.R. 12 1952.

Tiaranna defined p. 219, rotunda p. 219 fig., Russell 183.

Tiarannidae discussed p. 219, Russell 183.

Tiaropsis defined p. 278, multicirrata p. 278 fig., Russell 183.

Tima defined p. 379, bairdi p. 379 fig., RUSSELL 183.

†Trupetostroma burnsi nom. nud. p. 142, STEPHEN 205.

†Trupetostromaria gen. n. (fam. Trupetostromidae) pp. 365, 381, type species (by original designation) circoporea sp. n. pp. 365, 381 fig. Jurassic Slovenia, Germovšek Diss. Acad. Sci. Art. Slov. Cl. 4 Hist. nat. 2 1954.

†Trupetostromidae fam. n. pp. 361, 382, Germovšek Diss. Acad. Sci. Art. Sloven. Cl. 4 Hist. nat. 2 1954.

Tubiclava rubra p. 66 fig., Ralph 172.

Tubularia larynx p. 68 fig., Ralph 172.

Tubulariidae discussed p. 75, Russell 183.

Tubulariinae [as Tubularinae (sic)] discussed pp. 75, 76, Russell 183.

Turritopsis defined p. 115, nutricula p. 115 fig. is possibly the adult of Oceania pusilla p. 483, RUSSELL 183.—T. nutricula p. 64 fig., RALPH 172.

Umbrellaria aloysii is a Hydranthea p. 175, Huvé 96.

Velella velella p. 34, Totton 221.

Vogtia p. 100, glabra pp. 75, 100 fig., Totton 221.

Willia a junior synonym of Proboscidactyla p. 386, Russell 183.

Zanclea costata p. 99 fig., Russell 183.

Zancleidae fam. n. p. 98, Russell The Medusae of the British Isles 1953.

## †GRAPTOLITHINA

Catalogue of type specimens in the New York Museum pp. 66, 600, KIL-FOYLE 108.

Cf. Amphigraptus divergens var. radiatus p. 101 fig., Sherrard 197.

Amplexograptus prominens p. 57 fig., elongatus p. 62 fig., spp. n. Ordovician Canada, Barrass Quart. J. geol. Soc. Lond. 110 1 1954.—A. arctus p. 76 fig., Sherrard 197.

Anisograptus norvegicus p. 29 fig., grandis p. 30 fig., isolatus p. 32 fig., spp. n. Tremadocian Norway, ruedemanni p. 33 fig., spp. p. 33, sp. or ? Clonegraptus tenellos p. 34 fig., Bulman Norsk geol. Tidsskr. 33 1-2 1954.

Azygograptus discussed p. 437 (Conspectus p. 128), Kozłowski 117.

Barrandeograptus p. 193, pulchellus p. 195 fig., Bouček & Přibyl 30.—B. pulchellus p. 156, Přibyl 171.

Bryograptus kjerulfi p. 34, cf. ramosus p. 34 fig., Bulman 40.

Climacograptus aff. scalaris p. 66 fig., Barrass 17.—C. scharenbergi p. 510 fig., vax. angulatus vax. n. p. 511 fig., pauperatus sp. n. p. 512 fig., Ordovician Norway, BULMAN Ark. Min. Geol. 1 17 1953.—C. bohemicus p. 63 fig., kughen p. 64 fig., phrygiomius p. 65 fig., sp. a p. 66 fig., Habberelner 77.—C. typicalis or vax. p. 120 fig., Kax 106.—C. scalaris p. 370 fig., rectangularis p. 370 fig., cf. rectangularis p. 371 fig., Urnquisti p. 371 fig., Worth 177.—C. antiquus p. 76 fig., vilsoni vax. tubularis p. 96 fig., Sherbard 197.

? Clonograptus tenellus var. or Anisograptus sp. p. 34 fig., Bulman 40.

Colonograptus see Pristiograptus.

Cyrtograptus (Cyrtograptus) perneri p. 178 fig., ramosus p. 179 fig., multiramis subsp. multiramis p. 180 fig., subsp. kirki p. 183 fig., trilleri p. 185 fig., C. (? [sie]) graviliz p. 187 fig., C. (C.) elegans a synonym of mancki p. 190, C. (Lapvarthograptus) graye pp. 190, 191 fig., angustus p. 191, Bou ček & Přievl 20.—C. hamatus p. 319 fig., lundgreni p. 322 fig., Copp. 48.—C. lundgreni p. 154 fig., Přievl 171.—C. carruthersi p. 369 fig., linnaresoni p. 389 fig., Roth 177.—C. aff. insectus p. 76 fig., Shehrard 197.

Dendrograptus sp. p. 1398, HINDER-MEYER 88.

Dicellograptus elegans p. 101 fig., morrisi p. 101 fig., Sherbard 197.

Dicranograptus nicholsoni p. 120 fig., Kay 106.—D. ramosus var. spinifer p. 95 fig., var. hians p. 96, Sherbard 197. Dictyonema flabelliforme var. flabelliforme p. 14 fig., var. anglicum p. 17 fig., var. bryograptoides var. n. p. 18 fig., var. demograptoides p. 19 fig., var. multithecatum var. n. p. 21 fig., var. multithecatum var. n. p. 21 fig., var. norvegicum p. 23 fig., var. parabola var. n. p. 25 fig., var. sociale p. 27 fig., Tremadocian Norway, Bulman Norsk geol. Tidsskr. 23 1-2 1954.—D. appidoides sp. n. p. 208 fig. Carboniferous South Dakota, Decker J. Paleont. 23 2 1954.—D. gravite pp. 463, 469 fig., cf. filiramus p. 453, filiramus p. 470 fig., decemboides p. 470 fig., Gesult. 75. D. textile var. gruhli var. n. p. 464 fig. Wenlockian Germany, Münch Geologie 2 4 1954.—D. flabelliforme p. 371 fig., Termire & Termire 215.

Didymograptus cf. bifidus p. 59 fig., ct. artus p. 61 fig., aff. indentus p. 62 fig., HABERFELMER 77.—? D. sp. p. 36 fig., BULMAN 40.—D. murchisoni var. geminus p. 35 fig., HENKE & HUNDT 84.—D. p. 422 (Conspectus p. 118), rökkorskae sp. n. p. 427 fig. (Conspectus p. 121) Ordovician Poland, minutus pp. 424, 443 fig. (Conspectus p. 132), callotheca the type sp. of Holmograptus p. 432 fig. (Conspectus p. 124), cucullus a sp. of Holmograptus p. 434 (Conspectus p. 125), Kozlowski Acta geol. polon. 4 1954.—D. climacograptoides p. 189 fig., Loss 127.

Dimorphograptus confertus p. 374 fig., ROTH 177.

Diplograptus palmeus p. 37 fig., Henke & Hundt 84.—D. amplexicalus p. 120 fig., Kax 106.—D. (Orthograptus) cf. bellulus p. 372 fig., D. (Mesograptus) modestus p. 372 fig., Roth 177.—D. (Orthograptus) pageanus vax. abnormispinosus p. 96 fig., calcaratus vax. acutus p. 97 fig., D. ("Mesograptus") ingens p. 97 fig., multidens p. 98 fig., foliaceus p. 101 fig., D. (Glyptograptus) thanviscus p. 98 fig., teretrusculus p. 98 fig., Sheherad 197.

Genus? incisus sp. n. (fam. Diehograptidae) p. 434 fig. (Conspectus p. 128) Ordovician Poland, Kozlowski Acta geol. polon. 4 1954.

Gladiolites suppressed p. 231, OPINION 3.

Globosograptus see Monograptus.

Glyptograptus cf. tamariscus p. 67 fig., Haeerfelner 77.—G. see also Diplograptus.

Gothograptus spinosus p. 374 fig., Roth 177.

Graptolithina p. 831, [OBUT] 154.

Graptolithus suppressed, scalaris suppressed p. 209, Opinion 1.

Gymnograptus gen. n. (fam. Glossograptidae) p. 514, type species (by original designation) Diplograptus linnarssomi p. 515 fig. Ordovician Norway, Bulman Ark, Min. Geol. 1 17 1963.— G. linnarssomi p. 687 fig., Jaanusson & Strachan 101.

Hallograptus mucronatus p. 101 fig., Sherrard 197.

Holmograptus gen. n. (fam. Dichograptidae) p. 432 (Conspectus p. 124), type species (by original designation) Didymograptus callotheca p. 432 fig. (Conspectus p. 124) Ordovician Sweden, cucullus p. 434 (Conspectus p. 125), KOZLOWSKI Acta geol. polon. 4 1954.

Isograptus caduceus var. tenuis p. 94 fig., Sherrard 197.

Lapworthograpius subgen. n. (of Cyrtograpius) p. 190, type species (by authors' designation) C. grayi pp. 190, 191 fig. Silurian Scotland, angustus p. 191, BOUČEK & PRIBYL Bull. int. Acad. Prague 53 1953.

Lasiograptus mucronatus var. bimucronatus p. 99, Sherrard 197.

Leptograptus capillaris p. 95 fig., flaccidus p. 95 fig., Sherrard 197.

Lomatoceras suppressed p. 219, Orinion 2.

Mesograptus see Diplograptus.

Monoclimacis hemipristis pp. 463, 467 fig., Gruhl 75.—M. flumendosus p. 149 fig., Přibyl 171.

Monograptus validated p. 219, OPINION 2.—M. becki p. 295 fig., GARCÍA-FUENTE 62.—M. priodon p. 466 fig., GRUHL 75.—M. gregarius p. 77 fig., concinnus p. 79 fig., regularis p. 80 fig., var. latus var. n. p. 82 fig. Llandoverian Spain, nudus p. 83 fig., gemmatus p. 85 fig., distans p. 87 fig., sedguickii [as sedguickii (sic)] p. 88 fig., lobiferus p. 89 fig., runcinatus p. 91 fig., var. pertinax p. 92 fig., cf. flagellaris p. 92 fig., cf. communis p. 94 fig., var. rostratus p. 96 fig., intermedius p. 96 fig., cf. elongatus p. 98 fig., HABERFELNER Publ. [alom.] p. 98 fig., HABERFELNER Publ. [alom.] cxtran. Geol. Esp. 6 1952.—M. priodon p. 37 fig., nilsoni [sic] p. 38 fig., dubius

p. 37 fig., HENKE & HUNDT 84,-M. (Monograptus) flemingi subsp. flemingi p. 139 fig., subsp. primus p. 141 fig., probosciformis p. 142 fig., uncinatus subsp. orbatus p. 143 fig., M. (subgen. ? [sic]) testis subsp. testis p. 144 fig., M. (Globosograptus) cf. singularis p. 145 fig., M. (Streptograptus) nodifer p. 147 fig., Přibyl 171.—M. dubius pp. 366, 376 fig., vulgaris pp. 367, 376 fig., priodon pp. 368, 380 fig., romerinus p. 378 fig., var. basilieus pp. 368, 379 fig., cf. vomerinus p. 380 fig., sp. aff. group vomerinus p. 380 fig., bohemicus p. 375 fig., nilssoni p. 375 fig., limatulus p. 377 fig., roemeri p. 377 fig., chimaera var. salweyi p. 378 fig., riccarlonensis p. 381 fig., flemingi p. 381 fig., var. primus p. 382 fig., irfonensis p. 382 fig., mirus p. 383 fig., distans p. 383 fig., sedgwicki p. 384 fig., lobiferus p. 384 fig., clingani p. 385 fig., millepeda p. 385 fig., of. convolutus p. 386 fig., decipiens p. 386 fig., triangulatus p. 387 fig., elongatus, p. 387 fig., Roth 177.—M. exiguus p. 76 fig., marri p. 76 fig., dubius p. 76 fig., triangulatus p. 99 fig., intermedius p. 100 fig., Sherrard 197.

Monoprion suppressed p. 219, Opinion 2,

Nemagraptus explanatus var. pertenuis p. 95 fig., Sherrard 197.

Orthograptus see Diplograptus.

Orthoretiolites gen, n. (fam. Diplograptidae) p. 613, type species (by original designation) hami sp. n. p. 614 fig. Ordovician Oklahoma, Whittington J. Paleont. 28 5 1954.

Paraplectograptus eiseli p. 322 fig., Cope 48.

Parazygograptus gen, n. (fam. Dichograptidae) p. 439 (Conspectus p. 129), type species (by original designation erraticus sp. n. p. 439 fig. (Conspectus p. 129) Ordovician Battic Sea area, Kozzowski Acta geol, polon. 4 1954.

Peiragraptus gen. n. (fam. Diplograptidae) p. 509, type species (by original designation) fallax sp. n. p. 509 fig. Ordovician Canada, STRACHAN Geol. Mag. 91 6 1954.

Petalograptus altissimus p. 70 fig., minor p. 71 fig., hispanicus sp. n. p. 72 fig. Llandoverian Spain, sp. a (nov. sp. ? [sic]) p. 73 fig., sp. b (aff. hispanicus ? [sic]) p. 75 fig., sp. c (aff. palmeus and tenuis) p. 75 fig., Haberfelner Publ. [alem.] extran. Geol. Esp. 6 1952.—P. minor p. 372 fig., Roth 177.

Plectograptus cf. macilentus p. 323fig., Cope 48.—P. macilentus p. 136fig., Přibyl 171.

Pristiograptus (Pristiograptus) bohemicus subsp. bohemicus p. 157 fig., cf. dubius subsp. ludlowensis p. 160 fig., meneghinii subsp. meneghinii p. 161 fig., nilesoni p. 162 fig., P. (Colonograptus) colonus subsp. colonus p. 165 fig., Přibyl 171.

Ptiograptus sp. p. 1399, HINDER-MEYER 88.

Rastrites peregrinus p. 388 fig., hybridus p. 388 fig., Roth 177.—R. longispinus p. 100 fig., Sherrard 197.

Retiograptus geinitzianus p. 99 fig., Sherrard 197.

Retiolites validated p. 231, OPINION 3.—R. spinosus p. 323, COPE 48.—R. geinizianus var. angustidens pp. 463, 468 fig., var. densereticulatus pp. 463, 469 fig., GRUHL 75.—R. sp. (A) p. 373 fig., sp. (B) p. 373 fig., ROTH 177.

Spinograptus spinosus p. 137, Přibyl 171.

Spirograptus discussed p. 150, spiralis subsp. spiralis p. 151 fig., Přibyl 171.

Stomatograptus grandis var. maior pp. 462, 463, 466 fig., var. imperfectus pp. 463, 466, 467 fig., Gruhl 75.

Streptograptus see Monograptus.

Triograptus sp. p. 35 fig., BULMAN 40.

## SCYPHOZOA

Aurelia [as Aurellia (sic)] aurila nerve fibres p. 85 fig., Horridge 89.—A. solida p. 73, Nair 145.

Chiropsalmus buitendijki p. 71, NAIR 145.—C. p. 112 fig., Pope 170.—C. sp. p. 272 fig., Southcott 203.

Chrysaora melanaster p. 72, NAIR 145. Crambionella orsini p. 75, NAIR 145.

Cyanea sp. nerve fibres p. 88 fig., Horridge 89.—C. anaskala p. 73, Nair 145.

Lorifera lorifera p. 74, NAIR 145.

Lychnorhiza malayensis p. 74, NAIR 145.

Nausithoe punctata p. 71, NAIR 145. Netrostoma coerulescens p. 74, NAIR 145. †Palaeosemaeostoma geryonoides p. 88 fig., Adam 6.

Pelagia noctiluca p. 72, NAIR 145. Rhopilema hispidum p. 75, NAIR 145.

## ANTHOZOA

#### ALCYONARIA

Acabaria capensis, valdiviae p. 530, rosea sp. n. p. 531 fig. S. Africa, Tixer-Durivault Bull. Mus. nat. Hist. nat. Paris (2) 26 1954.

Actinoptilum molle p. 628, TIXIEB-DURIVAULT 217.

Alcyonium coralloides p. 71 fig., palmatum p. 74 fig., acaule p. 77 fig., glomeratum p. 79, digitatum p. 79 fig., BERENGUIER 23.—A. palmatum p. 3, BROCH 36.—A. fungiforme p. 385 fig., luteum p. 388 fig., spp. n. S. Africa, TIXIEE-DURIVAULT Bull. Mus. nat. Hist. nat. Paris (2) 26 1954.

Anthelia petricola p. 58 fig., crassa p. 59 fig., arctica p. 61 fig., inermis sp. n. p. 61 fig. W. Mediterranean, Berenguier Rec. Trav. Stat. mar. Endoume No. 12 1954.

Anthomastus giganteus sp. n. p. 526 fig. S. Africa, Tixier-Dubivault Bull. Mus. nat. Hist. nat. (2) 26 1954.

Anthoptilum grandiflorum p. 629, Tixier-Durivault 217.

Candidella nom. n. for Stenella Gray 1870 (non Gray 1866), type species (by author's designation) Primnoa imbricata p. 269, BAYER J. Wash. Acad. Sci. 44 9 1954.

Cavernularia dayi sp. n. p. 626 fig. S. Africa, Tixier-Durivault Bull. Mus. nat. Hist. nat. Paris (2) 26 1954.

Clavularia cylindrica p. 124, capensis p. 124 fig., Tixier-Durivault 217.—C. inflata p. 149 fig., Utinomi 228.

Cornularia cornucopiae p. 317, PAX & MÜLLER 167.

Dendronephthya yamamotoi sp. n. p. 319 fig. Japan, suensoni p. 321 fig., golgotha p. 323 fig., gracillima p. 324 fig., flabellifera p. 324 fig., dendritica sp. n. p. 326 fig. Japan, querciformis p. 328 fig., ULINOMI Publ. Seto mar. biol. Lab. 3 3 1954.

Eunicella verrucosa pp. 81, 84 fig., graminea pp. 81, 84 fig., cavolinii pp. 82, 84 fig., Berenguier 23.—E. verrucosa p. 9, Broch 36.—E. papillosa, alba p. 624, Tixier-Durivault 217.

Fascicularia a junior synonym of Paraleyonium p. 65 fig., Berenguier 23.—F. Viguier (nec Dybowski nec Lyell nec Lamarck) re-named Viguieriotes p. 296, Bayer 20.

Funiculina armata p. 629, TIXIER-DURIVAULT 217.

Heliopora coerulea p. 159, UTINOMI 228.—H. coerulea p. 474 fig., WELLS 235.

†Heliopora neocomiensis sp. n. pp. 115, 128 fig. Cretaceous Hungary, Kolosváry Jb. ung. geol. Anst. 42 2 1954.

Isidella elongata p. 8, BROCH 36.

†Isis melitensis p. 8 fig., Kopek 114. —I. cf. polyacantha p. 154, Osberger 158

Leptogorgia aurata p. 626, TIXIER-DURINAULT 217.

Lobophytum pauciflorum p. 156 fig., crebriplicatum p. 156 fig., UTINOMI 228.

Lobularia rutila sp. n. p. 261 fig. S. Africa, Tixier-Durivault Bull. Mus. nat. Hist. nat. (2) 26 1954.

Lophogorgia crista, flammea, lütkeni p. 625, capensis p. 626, Tixier-Duri-Vault 217.

Malacacanthus rufus p. 390, Tixier-Durivault 217.

Microspicularia sphaeroides sp. n. p. 157 fig. Tokara Islands, Utinomi Publ. Seto mar. biol. Sta. 3 2 1953.

Mopsella singularis, dichotoma p. 529, Tixier-Durivault 217.

Nidalia rubra p. 127 fig., morifera sp. n. p. 128 fig. S. Africa, Tixier-Durivault Bull. Mus. nat. Hist. nat. (2) 26 1954.

Paralcyonium edwardsi the type species of Viguierotes p. 296, BAYER 20.

—P. elegans p. 65 fig., BERENGUIER 23.

Paramuricea placomus p. 9, chamaeleon p. 10, Broch 36.

Parerythropodium coralloides is a sp. of Alcyonium p. 71 fig., Berenouter 23.—P. membranaceum p. 263, reptans p. 264, roseum sp. n. p. 265 fig. S. Africa, Texter-Durivault Bull. Mus. nat. Hist. nat. Paris (2) 26 1954.

Pennatula rubra p. 84 fig., phosphorea p. 85 fig., Berenguier 23.—P. phosphorea p. 13, Beoch 36.—P. phosphorea p. 630, Tixire-Duriyault 217. Primnoa imbricata the type species of Candidella p. 296, BAYER 20.

†Progonopora variabilis p. 135, Os-BERGER 158.

Pteroides griseum p. 86 fig., Berenguier 23.—P. griseum p. 15, Broch 36.—P. sp. p. 631, Tixier-Duriyault 217.

Rolandia a synonym of Sarcodictyon p. 62, coralloides a synonym of S. catenatum p. 62 fig., BERENGUIER 23.

Sarcodictyon p. 62, catenatum p. 62 fig., Berenguier 23.

Sarcophyton acutangulum p. 153 fig., trocheliophorum p. 155 fig., moseri p. 155 fig., UTINOMI 228.

Spongioderma verrucosa p. 529, Tixier-Duriyault 217.

Stenella Gray 1870 (non Gray 1866) re-named Candidella p. 296, BAYER 20.

Stereonephthya p. 329, japonica p. 330 fig., rubrifora p. 332 fig., osimaensis p. 334 fig., hyalina p. 335 fig., spp. n. Japan, Utinomi Publ. Seto mar. biol. Lab. 3 3 1954.

Telesto arborea p. 126, Tixier-Durivault 217.

Thouarella hicksoni p. 625, TIXIER-DURIVAULT 217.

Tubipora musica p. 474, WELLS 235.

Veretillum cynomorium p. 10, Broch 36.—V. cynomorium p. 231 fig., PAX & MÜLLER 168.

Viguieriotes nom. n. for Fascicularia Viguier (nec Dybowski nec Lyell nec Lamarck), type species (by author's designation) Paralcyonium edwardsii p. 296, BAYER J. Wash. Acad. Sci. 44 9 1954.

Virgularia mirabilis p. 13, Broch 36.—V. schultzei, gustaviana p. 630, Tinier-Durivault 217.

Wrightella coccinea p. 530, TIXIER-DURIVAULT 217.

Xenia florida p. 127, TIXIER-DURI-VAULT 217,

#### †TABULATA

Catalogue of type specimens in the New York State Museum pp. 59, 599, KILFOYLE 108,

Alveolites caudatus sp. n. p. 32 fig. Devonian W. Australia, tumidus p. 33 fig., suborbicularis p. 34 fig., HILL Bull. Min. Resources Geol. Geophys. Australia 23 1954.—A. sp. p. 44 fig., Hill. 86.—A. Islamineus p. 115 fig., Hill. 87.—A. (Caliapora) discussed p. 422. heritschi sp. n. p. 422 fig. Siluro-Devenian Carnie Alps. freehi p. 424 fig. Schouppe Neues Jb. Min. Geol. Paläont. 99 3 1954.

Autopora recta sp. n. p. 34 fig. Devonian W. Australia, cf. faceti p. 35 fig., Hill. Bull. Min. Resources Gool. Geophys. Australia 22 1954.—A. cf. conglomerata p. 115, Hill. 87.

Caliapora see Alveolites.

Cladochonus [as Cladoconchus (sie)] aff. bacillaris p. 9, Padgirt 160.

Coenites cf. seriatopora p. 44 fig., C. ? sp. p. 44 fig., Hill. 86.—C. discussed p. 418 fig., ionation as leavisonic [sic] p. 420 fig., Schouppe 189.

Diploepora p. 41, cf. grayi p. 41 fig., ramosa p. 41, Hull 86.

Ethmoplax see Michelinia.

Parosites gothlandicus forma gothlandicus p. 42 fig., forma forbesi p. 42 fig., forma forbesi p. 42 fig. spp. p. 43 fig., fi trigera p. 42 fig., spp. p. 43 fig., mitolus p. 113 fig., godifuses p. 113 fig., mitolus p. 113 fig., 2 ocatiporus var. p. 113 fig., ad. branci p. 113 fig., series p. 113 fig., trigera p. 113 fig., mitolus p. 113 fig., histories materials p. 114 fig., trigera p. 165 fig., Schorter 188.—F. godifusiones godifus p. 410 fig., forbes materials p. 411 fig., forbes materials p. 413, finities communs p. 415, histories p. 416, sp. p. 417. Schorters 189.

Funções Gleditsch, rubularis and caterumous and inadmissible names p. 765. Thomas & Smith 216.

Halpentes diagnosed p. 760. catenularius neetype chasen p. 766 fg., sp. p. 770 fg., Thomas & Smyth 216.— H. p. 37. brownentenoms sp. n. p. 38 fg., Stituciat. New South Wales, sp. ct. Pathestruciae. New South Wales, sp. ct. Pathestruciae. New South Wales, sp. ct. Pathestrucionoides p. 38 fg., spp. ind. p. 30 fig., ct. aussimile p. 30 fig., H. nr. Bull. Min. Resources Geol. Geophys. Australia 23 1904.

Heliciates p. 40. daintrees ? p. 40 fig., Hill. 86.—E. daintrees p. 115 fig., Hill. 87.—E. springaise p. 106. Schoutsk 188.—H. Heliciates ? independence ? editionals p. 427 fig., Schoutsk ? independence ? n. p. 224 fig. Devenian Nevada, Stumm Centr. Mus. Geol. Pal. Michigan Ann Arbor II 12 1884.

Heliolitidae discussed p. 40, HILL 86,

Historica gen. n. p. 1669, type species (by original designation) Michelinia Ethnocian) fascials p. 1669 ig. Devonian North Africa, Le Mairre C.R. Acad. Sci. Paris 23 16 1954.

Michelinia (Ethmoplax) fuscialis the type species of Holocanthopora p. 1669, LE MAITRE 123,

Plasmopora ramosa a Dipioepora p. 41. Hill 86.

Plasmoporinae p. 41, HILL 86.

Pleurodictyum cf. dechenianum p. 95 fig., Kostić-Podgorska 115.—P. problematicum p. 407 fig., Termier & Termier 215.

Propora ? sp. p. 40 fig., Hill 36.

Roemeripora wimani p. 9, PADGET 160.

Striatopora sp. p. 43 fig., S. ? sp. p. 44 fig., Hun 36.—? S. sp. p. 115 fig., Hun 37.—8. discussed p. 107, S. (?) success p. 108 fig., successive p. 111 dg., Knoppursch 4 Schouppe 119.—S. success p. 172. Schouppe 157.

Syringopora patula p. 35 fig., Hill. 86.—S. fivector p. 116 fig., Hill. 87.—S. rammuses, cf. reticulata p. 9, Padent 160.—S. fascicularis p. 425 fig., Schoolppk 189.

Thermospheric angusta p. 30 fig... behaviorates p. 30 fig... c. periginate p. 31 fig. Hill. 36.—T. angusta p. 114 fig... ? T. sp. p. 114 fig., Hill. 37.—T. discussed p. 91 fig., dabia p. 95 fig., reticulate p. 98 fig., T. (?) gigunates p. 101, rermicularis p. 108, Kropensch & Schourek 119.—T. discussed p. 417, sp. p. 418, Schourek 139.

#### ZCANTHARIA

Catalogue of type specimens in the New Yes State Museum p. 59. Kil-royle 108.

Acanthastroen [as Acanthastron (sic)] echinata p. 467 fig., Wells 285.

†Acunthocyathus vindolomensis pp. 25, 38, 41 fg., Kornk 114.

Acrhelia horrescens p. 466, WELLS 235.

Acropson v. 414. acumuman v. 415 fig., formosa p. 415 fig., implicata p. 416 fig., neighbor v. 416 fig., paymonths p. 416 fig., ranghani sp. n. p. 416 fig. Marshall

Islands, virgata p. 417 fig., teres p. 417 fig., var. distans var. n. p. 418 fig. Marshall Islands, arbuscula p. 418 fig., abrotanoides p. 418 fig., danai p. 418 fig., rotumana p. 419 fig., palmerae sp. n. p. 419 fig. Marshall Islands, delicatula p. 420 fig., conferta p. 420 fig., corymbosa p. 420 fig., surculosa p. 421 fig., prostrata p. 421 fig., spicifera p. 421 fig., hyacinthus p. 421 fig., reticulata p. 422 fig., striata p. 422 fig., echinata p. 423 fig., tubicinaria p. 423 fig., hebes p. 423 fig., kenti p. 423 fig., diversa p. 424 fig., paniculata p. 424 fig., ramiculosa p. 424 fig., nasuta p. 424 fig., nasuta crassilabia p. 424 fig., cymbicyathus p. 425 fig., tizardi p. 425 fig., hystrix p. 425 fig., humilis p. 425 fig., digitifera p. 427 fig., squarrosa p. 427 fig., syringodes p. 428 fig., variabilis p. 428 fig., rosaria p. 428 fig., valida p. 429 fig., microphthalma p. 429 fig., cuneata p. 429 fig., palifera p. 430, forma a p. 430 fig., forma β form. n. p. 430 fig. Marshall Islands, rayneri p. 431 fig., rambleri p. 431 fig., tenella p. 431 fig., inermis p. 431, Wells U.S. geol. Surv. Prof. Pap. 2061 1954.

†Acropora cf. solanderi p. 62 fig., CHEVALIER 44.—A. spp. p. 612 fig., Wells 236.

†Acrosmilia diagnosed p. 160, depressa p. 160 fig., cyclolites ? p. 161, robusta sp. n. p. 161 fig. Jurassic Germany, GEYER Palaeontogr. 104A

†Acrosmiliidae diagnosed p. 160, GEYER 69.

†Actinacididae diagnosed p. 171, GEYER 69.

†Actinaraea diagnosed p. 171, granulata p. 171 fig., subsp. tuberosa p. 172, Geyer 69.

†Actinastraea [as Actinastrea (sic)] p. 14, decaphylla p. 22 fig., var. columellata var. n. p. 28 fig., var. brachysepta var. n. p. 29 fig., decaphylloides sp. n. p. 30 fig., engolismensis p. 31 fig., fromenteli p. 33 fig., infundibulum p. 34 fig., subdecaphylloides p. 36 fig., varians p. 37 fig., bellomontensis var. petrocoriensis var. n. p. 41 fig., elongata sp. n. p. 41 fig., polygonata sp. n. p. 43 fig., subdecaphylla p. 45 fig., pruvosti sp. n. p. 46 fig., depressa sp. n. p. 48 fig., cotolamellosa p. 49 fig., pygmaea p. 52 fig. ramosa p. 53 fig., soverbyi nom. n. (for

ramosa Sow. not Mich.) p. 55 fig., reticulata p. 57, tuberculata p. 57 fig., var. minimituberculata var. n. p. 58 fig., arnaudi sp. n. p. 58 fig., benaixensis p. 61 fig., fuxumensis p. 63 fig., spp. n., konincki p. 64 fig., lacvivieri sp. n. p. 67 fig., multituberculata sp. n. p. 69 fig., rugosa p. 71 fig., littoralis p. 73 fig., margaritata p. 75 fig., provincialis sp. n. p. 76 fig., orbignyi p. 78 fig., petro-coriensis sp. n. p. 81 fig., exigua p. 82 fig., bastidensis sp. n. p. 84 fig., piveteaui sp. n. p. 87 fig., var. axicrassa var. n. p. 88 fig., limbata sp. n. p. 89 fig., rupesfortisensis sp. n. p. 91 fig., Upper Cretaceous France, ALLOITEAU Ann. Hébert et Haug 8 1954.—A. favulus p. 63, GEYER 68.—A. diagnosed p. 129, pentagonalis p. 129, ramulifera p. 129 fig., GEYER 69.

Actinia tenebrosa p. 571, CARLGREN 41.—A. equina equina p. 174 fig., cari p. 176 fig., PAX & MÜLLER 167.

Actiniogeton sesere p. 579 fig., CARL-GREN 41.

Actinothoë glandulosa sp. n. p. 582 fig. W. Australia, albocincta p. 584, CARLGREN Ark. Zool. 6 34 1954.

Adamsia palliata p. 229 fig., PAX & MÜLLER 167.

Agaricia? minikoiensis is Leptoseris? mycetoseroides p. 444, Wells 235.

†Agatiphyllia matheroni sp. n. p. 63 fig. Oligocene France, blaviensis sp. n. p. 64 fig. Eocene France, CHEVALIER Bull. Soc. géol. Fr. 6 4 1-3 1954.

Aiptasia pallida p. 289 fig., Неодретн 82.

Aiptasiomorpha luciae p. 290 fig., texaensis p. 290, HEDGPETH 82.

†Allocoenia discussed p. 13, Alloiteau 9.

Alveopora allingi p. 456 fig., ocellata sp. n. p. 456 fig. Marshall Islands, Wells U.S. geol. Surv. Prof. Pap. 260I 1954.

†Alveopora sp. p. 135, OSBERGER 158, —A. polyacantha p. 614 fig., Wells 236.

†Amphiastraeida diagnosed p. 192, Gever 69.

†Amphiastraeidae diagnosed p. 192, Geyer 69.

†Amphihelia sismondiana p. 19, Kopek 114. †Amplexocarinia smithi p. 93 fig., Kostić-Podgorska 115.

Anacropora gracilis p. 440 fig., reptans p. 440 fig., forbesi p. 441, Wells 235.

Anemonia carlgreni p. 572, Cabloren 41.—A. sargassensis p. 287 fig., Heddeth 82.—A. sulcata p. 202 fig., Pax & Müller 167.

Antheopsis see Radianthus.

Anthopleura sp. p. 274 fig., Atoda 15.
—A. aureo-radiata p. 574 fig., Carloren
41.—A. krebsi p. 287 fig., Hedgerth
82.—A. elegantissima p. 80 fig., artemisia
p. 85 fig., Williams 241.

Antipathes subpinnata p. 121 fig., PAX & MÜLLER 167.

†Aplophyllia diagnosed p. 139, longicostata sp. n. p. 139 fig. Jurassic Germany, GEYER Palaeontogr. 104A 1954.

†Aplosmilia diagnosed p. 190, suevica sp. n. p. 190 fig. Jurassic Germany, GEYER Palaeontogr. 104A 1954.

†Aquitanastraea gen. n. p. 139, type species (by original designation p. 144) piveteau sp. n. p. 139 fig. Miocene France, var. argus p. 141 fig., var. intermedia var. n. p. 142 fig. Miocene France, var. atternans var. n. p. 142 fig. Miocene France, pruvosti sp. n. p. 143 fig. Miocene France, pachyformis sp. n. p. 144 fig. Miocene France, incrustans p. 152 fig., ramea p. 163 fig., CHEVALIER Ann. Hébert et Haug 8 1954.

†Arachnophyllum diffluens p. 407 fig., Schouppé 189.

Astraeopora [as Astreopora (sic)] myriophthalma p. 431 fig., listeri p. 432 fig., ocellata p. 432 fig., tubulata sp. n. p. 432 fig. Marshall Islands, suggesta sp. n. p. 433 fig. Marshall Islands, Wells U.S. geol. Surv. Prof. Pap. 2601 1954.

Astrangia astraeformis p. 85, Buch-Anan 37.

†Astrocoenia p. 17, decaphylla p. 22, subdecaphylla p. 45, octolamellosa p. 49, pygmaea p. 52, ramosa pp. 53, 55, konincki p. 64, rugosa p. 71, margaritata p. 75, orbignyana p. 78 are spp. of Actinastraca (q.v.), Alloiteau 9.—4. pentagonalis (= bernensis) and delemontana are spp. of Actinastraca p. 129, Geyer 69.—A. ramosa p. 110 fig., decaphylla p. 111 fig., koninckii p. 111 fig., Kolosyary 111.

†Astrocoeniida diagnosed p. 128, GEYER 69.

†Astrocoeniidae diagnosed p. 128, Geyer 69.

†Axosmilia diagnosed p. 194, crassa p. 194 fig., turbinata p. 194, marcoui p. 195 fig., caudata, infundibuliformis p. 195, hemisphaerica, excavata, cylindrica p. 196, sessilis p. 197 fig., GEYER 69

Balanophyllia verrucaria p. 316 fig., PAX & MÜLLER 167.

†Balanophyllia sp. p. 17, varians p. 18 fig., concinna p. 18 fig., cf. irregularis p. 18 fig., KOPEK 114.

†Barrandeophyllum cavum sp. n. p. 8 fig. Devonian W. Australia, spp. p. 9 fig., Hill Bull. Min. Resources Geol. Geophys. Australia 23 1954.—B. see also Syringaxon.

Bartholomea annulata p. 290, HEDG-PETH 82.

†Barysmilia diagnosed p. 191, B. ? jurassica sp. n. p. 192 fig. Jurassic Germany, GEYER Palaeontogr. 104A 1954.

Bikiniastrea gen. n. (fam. Faviidae) p. 456, type species (by original designation) laddi sp. n. p. 456 fig. Marshall Islands, Wells U.S. geol. Surv. Prof. Pap. 260I 1954.

†Blothrophyllum irregulare sp. n. p. 216 fig. (Conspectus pp. 44, 48), mut. breviseptata mut. n. p. 219 fig., Devonian Poland, multiseptatus p. 220 fig., Różkowska Acta geol. polon. 4 1954.

†Brachyelasma alpina p. 390 fig., Schouppé 189.

Bunodactis maculosa sp. n. p. 577 fig. S.W. Australia, Carloren Ark. Zool. 6 34 1954.—B. texaensis p. 287, HEDGPETH 82.

Bunodosoma cavernata p. 287 fig., HEDGPETH 82.

†Calamophyllia flabella p. 64, GEYER 68.—C. diagnosed p. 146, cervina p. 146 fig., aff. laevis p. 146, disputabilis p. 146 fig., GEYER 69.—C. cf. compressa p. 80, Kolosyary 111.

†Calamophylliidae diagnosed p. 143, GEYER 69.

†? Calamosmilia sp. p. 236 fig., Kolosváry 110.

†Calceola sandalina sandalina p. 235 fig., Różkowska 179.—C. sandalina p. 413 fig., Termier & Termier 215.

Calliactis tricolor p. 287 fig., Hedgpeth 82.—C. parasitica p. 229 fig., Pax & Müller 167.

†Cf. Campophyllum kiaeri p. 4, PADGET 160.

†Canadiphyllum gen. n. (fam. Zaphrentoididae) p. 361, type species (by original designation) knoxi sp. n. p. 362 fig. Carboniferous British Columbia, SUTHERLAND Geol. Mag. 91 5 1954.

†Caninia [as Craninia (sic)] cornucopiae ch. 5 fifth pl. fig., García-Fuente 61.—C. rudis sp. n. p. 28 fig. Devonian W. Australia, Hill Bull. Min. Resources Geol. Geophys. Australia 23 1954.—C. sp. A sp. n. ? [sic] p. 14 fig. Carboniferous Japan, sp. B cf. mapingense p. 14 fig., cf. simpliseptata p. 15 fig., Konishi J. geol. Soc. Japan 60 700 1954.—C. holtedahli p. 5, cf. calophylloides p. 6, Padget 160.

Caninoid corals p. 6, PADGET 160.

†Carcicocaenia gen. n. (fam. Andemantastraeidae) p. 884, type species (by original designation) pfenderae sp. n. p. 883 fig. Cretaceous S. France, ALLOTERAU Bull. Soc. géol. Fr. (6) 3 1953.

Caryophyllia clavus p. 15, Broch 36. —C. clavus p. 84, Buchanan 37.—C. rugosa p. 469 fig., Wells 235.

†Caryophyllia diagnosed p. 187, suevica p. 188 fig., simplex p. 188, Gr. psilontoni p. 236, cf. liasica p. 237, † C. sp. p. 235, Kolosváry 110.—C. cf. arcuata p. 25, attenuata p. 25 fig., Kopek 114.

†Caryophylliida diagnosed p. 187, GEYER 69.

†Caryophylliidae diagnosed p. 187, GEYER 69.

†Catactotoechus gen. n. (fam. Syringaxonidae) p. 9, type species (by original designation) \*\*irregularis\* p. 10 fig., obliquus\* p. 11 fig., tenuis\* p. 12 fig., spp. n. Devonian W. Australia, HILL Bull. Min. Resources Geol. Geophys. Australia 23 1954.

†Ceratophyllum typus pp. 212, 223 fig., Różkowska 179.

†Ceratotrochus alcockianus p. 66, King 109.—C. noszkyi pp. 98, 126 fig., bakonyensis pp. 98, 126 fig., spp. n. Cretaceous Hungary, Kolosváry Jb. ung. geol, Anst. 42 2 1954.—C. duodecimcostatus p. 20 fig., multispinosus p. 21 fig., Kopek 114.

[1954]

Cereus pedunculatus p. 230 fig., PAX & MÜLLER 167.

Ceriantheomorphe brasiliensis p. 290, HEDGRETH 82.

†Ceriocaenia nom. nud. p. 882, ALLOITEAU 8.

Cladocora cespitosa p. 18, Broch 36,— C. cespitosa p. 315 fig., var. typica p. 316, var. stellaria p. 316 fig., var. astraearia, var. paulmayeri p. 316, Pax & Müller 167.

†Cladocora schréteri pp. 82, 125 fig., gracilis pp. 83, 126 fig., spp. n. Cretaceous Hungary, Kolosváry Jb. ung. geol. Anst. 42 2 1954.

†Cladophyllia diagnosed p. 139, dichotoma subsp. parallela p. 139, subsp. flexuosa p. 140, Geyer 69,—C.? sp. p. 65, Geyer 68.

Cnidopus verater pp. 576, 593, CARL-GREN 41.

†Coelosmilia? sp. p. 105 fig., niobe pp. 105, 127 fig. Cretaceous Hungary, Kolosváry Jb. ung. geol. Anst. 42 2 1954.

†Coenastrea discussed p. 11, Alloiteau 9.

Coenocyathus sp. ? p. 16, BROCH 36.

†Columastraea delcrosiana p. 118, CHEVALIER 43.—C. [as Columnastraea (sic)] striata p. 112 fig., KOLOSVÁRY 111.

†Columnaria halli p. 118 fig., KAY 106.—C. sp. p. 6 (338) fig., Różkowska 178.

†Columnastraea see Columastraea.

†Columnocoenia lifolensis p. 107 fig., laevicostata p. 108, var. ferryi var. n. p. 109 fig. Jurassic France, Chevaller Ann. Hébert et Haug 8 1954.

†Comophyllia diagnosed p. 149, jurensis p. 149, corrugata p. 149 fig., Geyer 69.

†Comoseris tshordiensis nom. nud. p. 286, [BENDUKIDZE] 22.—C. diagnosed p. 167, ? C. irradians p. 168, C. jumarense p. 168 fig., GEYER 69.

†Complexastraea [as Complexastrea (sie)], thevenini p. 183 fig., hemisphaerica sp. n. p. 184 fig. Jurassic Germany, GEYER Palaeontogr. 104A 1954. Condylactis gigantea p. 287, Hedg-PETH 82.—C. aurantiaca p. 173 fig., PAX & MÜLLER 167.

†Confusastraraea discussed p. 130, obsoleta p. 130 fig., djunggranganensis sp. n. p. 131 fig. Upper Tertiary Java, OSBERGER Neues Jb. Min. Geol. Paläont. Abb. 100 l 1954.

†Convexastraea sexradiata p. 63, GEYER 68.—C. [as Convexastrea (sic)] diagnosed p. 135, sexradiata p. 135, meriani subsp. suevica subsp. n. p. 135 fig. Jurassic Germany, bernensis p. 136 fig., GEYER Palaeontogr. 1MA 1954.

Coscinaraea columna p. 446 fig., ostreaeformis p. 446 fig., Wells 235.

Cricophorus nutrix p. 582, CARLGREN 41.

Culicia rubeola p. 464 fig., Wells 235.

†Cyathocoenia discussed p. 13, Alloi-Teau 9.

†Cyathophora diagnosed p. 136, bourgueti p. 136 fig., subsp. sparsicella p. 137, claudiensis p. 137 fig., alveolata ? p. 137, Geyer 69.—C. cf. cesaredensis p. 236 fig., Kolosváry 110.—C. cf. pygmaea p. 74, annae p. 75, Kolosváry 111.

†Cyclolites robusta pp. 10, 83 fig., subsp. noszkyi subsp. n. pp. 10, 83 fig. Hungary, subsp. latifossa subsp. n. p. 11, 84 fig. Hungary, fraterculus pp. 12, 85 fig., undulata pp. 12, 85 fig., cf. orbignyi pp. 13, 86 fig., subsp. homoiomacrostomata subsp. n. pp. 13, 86 fig. Hungary, macrostomata pp. 14, 87 fig., aff. macrostomata pp. 15, 30, 88, 104 fig., sp. n. 1 pp. 15, 89 fig., cf. nummulus pp. 16, 89 fig., sp. n. 2 pp. 16, 89 fig., numismalis pp. 16, 90 fig., subsp. n. aff. numismalis 3 pp. 17, 90 fig., polymorpha pp. 17, 26, 28, 90, 100, 103 fig., discoidea pp. 18, 26, 91, 100 fig., subsp. costata subsp. n. pp. 18, 92 fig. Hungary, pseudonummulus pp. 19, 26, 92, 100 fig., sp. 4 pp. 20, 93 fig., reussi pp. 20, 93 fig., subsp. profundus subsp. n. pp. 21, 94 fig. Hungary, subsp. reussiformis subsp. n. pp. 21, 95 fig. Hungary, semisubcircularis sp. n. ? [sic] pp. 22, 95 fig., sp. n. 5 pp. 23, 97 fig., discoidea pp. 23, 97 fig., undulata transsylvanica subsp. n. pp. 24, 98 fig. Roumania, aff. excelsa pp. 24, 98 fig., cf. placenta pp. 25, 99 fig., orbignyi pp. 25, 99 fig., scutellum pp. 28, 102 fig., lóczyi subsp. n. pp. 25, 95 fig. Roumania, sp. 6 pp. 27, 101,

undulata magna subsp. n. pp. 27, 101 fig. Roumania, cf. elliptica pp. 27, 101, aff. elliptica pp. 28, 102 fig., corbieriaca pp. 29, 103 fig., polygamus pp. 29, 103 fig., aff. pulchellus pp. 30, 104 fig., elliptica semiundulata subsp. n. pp. 30, 104 Roumania, aff. conoidea pp. 31, 105 fig., rugosa pp. 31, 106 fig., tenuiradiata pp. 32, 106 fig., Cretaceous, Géczy Geol. hung. 24 1954.—C. sp. p. 87, orbignyi p. 87 fig., nummulus p. 87 fig., elliptica p. 88 fig., undulata p. 88, subsp. undulata p. 88 fig., subsp. cycloides p. 89 fig., subsp. reussi p. 89 fig., subsp.? p. 89 fig., fig., subsp.? p. 89 fig., follows

Cycloseris hexagonalis p. 447, vaughani p. 447 fig., patelliformis p. 447 fig., distorta, fragilis p. 447, Wells 235.

†Cycloseris sp. p. 613 fig., Wells 236.

Cyphastraea [as Cyphastrea (sic)] serailia p. 463, chalcidicum p. 464, Wells 235.

†Cyphastraea annularis p. 164 fig., cyclommatos p. 174 fig., CHEVALIER 43.—C. distans p. 12 fig., KOPEK 114.—C. gemmulifera p. 127, gerthi sp. n. p. 128 Upper Tertiary Java, tubifera p. 128, OSBERGKE Neues Jb. Min. Geol. Paläont. Abh. 100 1 1954.—C. [as Cyphastrea (sic]] microphthalma, cf. progoensis p. 614, Wells 236.

†"Cystiphyllum" kimberleyense p. 29 fig., Hill 86.

Dactylotrochus gen. n. (fam. Caryophylliidae) p. 470, type species (by original designation) Tridacophyllia cervicornis p. 470 fig. Marshall Islands, etc., Wells U.S. geol. Surv. Prof. Pap. 2501 1954.

Deltocyathus italicus p. 469, WELLS 235.

†Dendrogyra sp. p. 70, salisburgensis p. 70 fig., pannonica sp. n. pp. 70, 125 fig. Cretaceous Hungary, Kolosváry Jb. ung. geol. Anst. 42 2 1954.

†Dendrogyridae diagnosed p. 191, GEYER 69.

†Dendrohelia diagnosed p. 142, ? D. coalescens p. 142, Geyer 69.

Dendrophyllia anastomans p. 226 fig., Monod 142.—D. fistula p. 472 fig., florentula p. 473 fig., sp. n. ? (sic) p. 473 fig. Marshall Islands, Wells U.S. geol. Surv. Prof. Pap. 2601 1954. †Dendrophyllia poppelacki p. 19 fig., Kopek 114.

†Dermoseris diagnosed p. 170, diceratina p. 170 fig., GEYER 69.

†Dermosmilia diagnosed p. 144, laxata p. 144 fig., Gever 69.

Desmophyllum of. crista-galli, delicatum p. 470, Wells 235.

†Dibunophyllum sp. p. 7 (339) fig., Różkowska 178.— $\bar{D}$ . sp. p. 433 fig., Termier & Termier 215.

†Dictyaraea elegans var. clinactinia p. 65 fig., Chevalier 44.—D. discussed p. 613, micrantha p. 614 fig., Wells 236.

†Dimorphastraea fungiformis nom. nud., radshensis nom. nud. p. 286, [BENDUKIDZE] 22.—D. [as Dimorphastrae (sic)] diagnosed p. 159, concentrica p. 159 fig., subsp. langii p. 159 fig., heteromorpha p. 159 fig., speciosa p. 160 fig., GEYER 69.—D. sp. p. 94, cf. edwardsi p. 95, cf. grandiflora p. 95, KOLOSVARY 111.

†Dimorphoseris diagnosed p. 163, helianthus, dubia p. 163, affinis p. 164, beckeri sp. n. p. 164 fig. Jurassic Germany, GEYER Palaeontogr. 104A 1954.

†Diplaraea diagnosed p. 170, arbuscula p. 170 fig., elegans p. 171 fig., Geyer 69.

Diploastraea [as Diploastrea (sic)] heliopora p. 464, Wells 235.

†Diploastraea haimei p. 130 fig., incerta p. 155, Chevalier 43.—D. heliopora p. 145, Osberger 158.

†Diploctenium gracile a sp. of Phyllosmilia p. 9, Allotteau 10.—D. sp. p. 108, of. conjugens p. 109 fig., contortum p. 109 fig., Kolosyary 111.

†Diploria cf. latisinuosa p. 84 fig., Kolosváry 111.

†Discocoenia aff. bononiensis p. 236 fig., Kolosváry 110.

†Disphyllum goldfussi p. 18 fig., virgatum p. 19 fig., var. densum var. n. p. 19 fig., var. variabile var. n. p. 20 fig., var. ? p. 20 fig., depressum p. 21 fig., depressum or Tennophyllum sp. p. 21 fig., intertextum sp. n. p. 22 fig., sp. p. 22 fig., curtum sp. n. p. 22 fig., Devonian W. Australia, Hill Bull. Min. Resources Geol. Geophys. Australia 23 1954.—D.? goldfussi p. 108 fig., sp. p. 108 fig., sp. p. 110 fig., Hill 87.

Drillactis leucomeles p. 592 fig., Carlgren 41.

[1954]

Echinophyllia aspera p. 467 fig., Wells 235.

Echinopora lamellosa p. 464, Wells 235.

Edwardsia leucomeles a sp. of Drillactis p. 592 fig., Carlgren 41.

†Ellipsosmilia diagnosed p. 197, circumvelata, rugosa p. 197, Geyrr 69.

†Enallastraea rugosa p. 71, margaritata p. 75 are spp. of Actinastraea (q.v.), Alloiteau 9.

†Enallocoenia discussed p. 11, Allor-TEAU 9.

†Enallohelia diagnosed p. 140, compressa p. 140 fig., elegans p. 141 fig., striata p. 141 fig., tubulosa p. 141, GRYER 69.

†Entelophyllum discussed p. 400, articulatum p. 401 fig., alpinum p. 403 fig., Schouppe 189.

Epiactis australiensis p. 576, CARL-GREN 41.

†Epismilia aff. laufonensis p. 236 fig., Kolosváry 110.

†Epistreptophyllum diagnosed p. 143, commune p. 143 fig., tenue p. 143, flabelliforme p. 144 fig., General 69.

Epizoanthus minutus p. 109, Fon-TAINE 59.—E. arenaceus subsp. ingeborgae subsp. n. p. 393 Adriatic Sea, PAX Atti Mus. Civico Storia nat. Trieste 19 5 1954.—E. arenaceus ingeborgae p. 145 fig., vatovai p. 146 fig., PAX & MULLER 167.

†Eridophyllum diagnosed p. 3, seriale p. 3 fig., subseriale sp. n. p. 5 fig., magniventrum sp. n. p. 5 fig., arachnoideum sp. n. p. 6 fig., michiganense sp. n. p. 7 fig., Devonian U.S.A., STUMM Contr. Mus. Geol. Pal. Michigan Ann Arbor 12 1 1954.

†Eugyra sp. p. 71 fig., Kolosváry 111.

Euphyllia glabrescens p. 471, Wells 235.

Favia stelligera p. 457 fig., speciosa p. 457 fig., pallida p. 457 fig., rotumana, favus, valenciennesii p. 458, helianthoides sp. n. p. 458 fig. Marshall Islands, Wells U.S. geol. Surv. Prof. Pap. 2601 1954.

†Favia magnifica p. 14, Koper 114.— F. [as Fafia (sic)] amplior? p. 81, Obberger 157.—F. macroculyx p. 126, Obberger 158.

†Faviidae diagnosed p. 186, GEYER 69.

†Favistellid? (solitary) pp. 36, 50 fig., Hill 86.

Favites virens p. 459, flexuosa p. 459 fig., abdita p. 459, Wells 235.

† Favites pentagona p. 81, OSBERGER

†Flabellum distinctum p. 66, King 109.—F. roissyanum pp. 22, 36, 40 fig., Kopek 114.—F. tuberculatum p. 51, var. roemeri p. 50 fig., waelii p. 53 fig., Köhn 120.

Fungia scutacia p. 447 fig., echinata p. 448, fungites p. 448 fig., fungites haimei p. 448 fig., fungites incisa p. 448 fig., fungites stylifera p. 448 fig., fungites dentata p. 443 fig., concinna serrutata p. 449 fig., Wells 235.

†Fungia sp. p. 146 fig., OSEEEGEE 158.

Fungiida diagnosed p. 143, GEYER 69.

Gemmaria variabilis? p. 591, CABL-GREN 41.—G. fusca p. 108 fig., variabilis p. 108 fig., Fontaine 59.

†Genabacia diagnosed p. 166, pseudokachensis sp. n. p. 166 fig. Jurassic Germany, Geyer Palaeontogr. 164A 1954.

Goniastraea [as Goniastrea (sic)] retiformis, pectinata p. 461, Wells 235.

†Goniastraea retiformis p. 140, Os-BERGER 158.

†Goniocoenia a synonym of Astro-coenia p. 12, Alloiteau 9.

†Goniocora diagnosed p. 187, pumila p. 187 fig., Gever 69.

†Goniophyllum pyramidale p. 395 fig., Termier & Termier 215.

Goniopora somaliensis p. 450 fig., traceys sp. n. p. 451 fig. Marshall Islands, cf. gracilis p. 451 fig., pulvinula sp. n. p. 451 fig. Marshall Islands, muscosa sp. n. p. 451 fig. Marshall Islands, Wells U.S. geol. Surv. Prof. Pap. 280I 1954.

†Gemiepora lutistellata p. 114 fig., Kolosyáry 111.—G. leptoclada p. 29 fig., Kopek 114.—G. planulata p. 134, tenuidens p. 151, Osberger 158. tGyrodendron diagnosed p. 148, lobatum p. 148 fig., proliferum p. 148, Geyer 69.

†Hadrophyllum wellingtonense sp. n. p. 121 fig. probably Devonian New South Wales, Раскнам J. Proc. roy. Soc. N.S.W. 87 3 1954.

Halomitra philippinensis p. 449, Wells 235.

†Hapsiphyllum elegantulum p. 94 fig., Kostić-Podgorska 115.—H. ? svalbardicum p. 7, Padget 160.—H. sp. p. 433 fig., Termier & Termier 215.

+Heliastraea discussed pp. 105, 177, lifolensis p. 107 and laemcostata p. 108 are spp. of Columnocaenia, striata p. 111 is a sp. of Stylinopsis, putealis p. 113 is a sp. of Sarcinula, neocomiensis p. 109, cribraria p. 113, varians p. 114, terminaria p. 115, constricta p. 117, sulcatolamellosa p. 117 and edwardsi p. 119 are spp. of Phyllocaeniopsis, delcrosiana p. 118 is a sp. of Columnstraea, vesparia 118 and sexangula p. 118 are spp. of Plesiastreopsis, moravica p. 120 is a sp. of Provinciastraea, rotula discussed p. 123, riemsdycki discussed p. 123, irregularis, coquandi, simonyi, coronata, ortiva, rotunda, pseudolepida, sp., H.? barrandei, texana all discussed p. 124, lucasiana p. 126 is a sp. of Placocoenia, bormidensis p. 128 and murrayi p. 173 are spp. of Phyllocenia, fallax p. 129 is a sp. of Hemiporites, haimei p. 130 and incerta p. 155 are spp. of Diploastraea, meneghinii, gemmans, apenninica and superficialis all discussed p. 131, ellisiana p. 131, rautini p. 133, reussiana p. 135 and prevo tiona p. 136 are all spp. of Tarbellastruea, defrancei discussed p. 139, dal lagoi p. 137, cesicalosa p. 150, canalis p. 161, limbata p. 162 and tabulata p. 170 are spp. of Heliastreopsis, incrustans p. 152 is a sp. of Aquitanastraea, tavrinensis sp. n. p. 154 fig. Miocene Italy, guettardi p. 153, cavernosa p. 156 fig., cylindrica p. 158 fig., radiata p. 159 fig., costata p. 166 fig., cyclommatos p. 174 is a sp. of Cyphastraea, quadrangularis p. 175 fig., CHEVALIER Ann. Hébert et Haug 8 1954.

†Heliastreopsis subgen. n. (of Heliastreea) pp. 139, 177, type species (by original designation) Heliastraea dal lagoi p. 137 fig. Oligocene Italy, alloiteaui sp. n. p. 145 fig. Miocene France, saucatsensis sp. n. p. 146 fig.

Miocene France, pelouaensis sp. n. p. 147 fig. Miocene France, solenastroides sp. n. p. 149 fig. Miocene France, vesiculosa p. 150 fig., canalis p. 161 fig., limbata p. 162 fig., tabulata p. 170 fig., CHEVALIER Ann. Hébert et Haug 8 1954.

†Heliophyllum pinguiseptatum sp. n. p. 110 fig. Devonian Victoria, Hill Proc. roy. Soc. Vict. N.S. 66 1954.

†Hemiporites fallax p. 129 fig., CHEVALIER 48.

Herpolitha limax p. 449 fig., Wells

†Heterocoenia stachei p. 74 fig., Kolosváry 111.

†Hexagonaria discussed p. 15, brevilamellata p. 15 fig., brevilamellata ? p. 16 fig., hullensis sp. n. p. 16 fig., gneudnensis sp. n. p. 18 fig., Devonian W. Australia, Hill. Bull. Min. Resources Geol. Geophys. Australia 23 1954.—H. stevensi p. 107 fig., approximans p. 107 fig., aff. approximans p. 108 fig., Hill 87.—H. hexagona p. 462 fig., sedgwicki p. 465 fig., davidsoni p. 468 fig., basaltiformis p. 470 fig., conspectus p. 140), mirabilis sp. n. p. 474 fig. (Conspectus p. 141), mirabilis sp. n. p. 474 fig. (Conspectus p. 141), phillipsastraeiformis sp. n. p. 476 fig. (Conspectus p. 141), Devonian Poland, MOENKE Acta geol. polon. palaeont. 4 1954.

Hydnophora microconos p. 462, rigida p. 463, Wells 235.

†Hydnophora styriaca p. 85 fig., Kolosváry 111.

†Hydnophyllia martini p. 124, rothpletzi sp. n. p. 125 Upper Tertiary Java, Osberger Neues Jb. Min. Geol. Paläont. Abh. 100 1 1954.

Isactinia olivacea is partly Cnidopus verater p. 593 fig., Carlgren 41.

Isanemonia australis p. 575 fig., CARLGREN 41.

†Isastraea [as Isastrea (sic)] diagnosed p. 184, helianthoides p. 184 fig., subsp. crassiseptata p. 185, oblonga p. 185 fig., explanata p. 186 fig., GEYER 69.—I. favosiformis nom. nud. p. 286, [BENDUKIDZE] 22.

Isaurus cliftoni p. 584, Carlgren 41.
—I. duchassain [sic] p. 109, Fontaine
59.

Isocradactis magna discussed, ferax p. 594, CARLGREN 41.

†Kakwiphyllum gen. n. (fam. Caninidae) p. 365, type species (by original designation) dux sp. n. p. 366 fig. Carboniferous British Columbia, SUTHEELAND Geol. Mag. 91 5 1954.

†Kjaerophyllum discussed p. 392, carnicum sp. n. p. 393 Siluro-Devonian Carnic Alps, Schouffe Neues Jb. Min. Geol. Paliont. 99 3 1954.

†Kobymeandra gen. n. (fam. Andemantastraeidae) p. 886, type species (by original designation) Latimaeandra corrugata p. 885 fig. Jurassic Switzerland, ALLOITEAU Bull. Soc. géol. Fr. (6) 3 1953.

†Lasmogyra cf. sinuosa p. 80 fig., Kolosváry 111.

†Latimaeandra corrugata the type species of Kobymeandra p. 885, Alloiteld B.—L. [as Latomeandra (sic)] diagnosed p. 147, plicata p. 147 fig., dubia p. 148, Geyer 69.

†Latimaeandraraea? sp. p. 95, douvillei p. 96 fig., cf. tortuosa p. 96, Kolosváry 111.

†Latiphyllia diagnosed p. 182, suevica p. 183 fig., clausa p. 183, Geyer 69.

†Latusastraea [as Latusastrea (sic)] alveolaris p. 192 fig., Gener 69.

†Lepiconus bassii p. 158, Conti 47.

Leptastraea [as Leptastrea (sic)] purpurea p. 463, Wells 235.

†Leptophyllia depressa p. 160 and cyclolites p. 161 are spp. of Acrosmilia, strangulata p. 162, L. ? compressa p. 162, Geyer 69.—L. sp. p. 90, L. (?) neocomiensis p. 91 fig., cf. sessilis p. 91, Kolosváry 111.

†Leptoria koninckii p. 84 fig., Kolosváry 111.—L. sp. p. 81, Osberger 157.—L. selenkae p. 144 fig., Osberger 158.

Leptoseris gardineri p. 443, papyracea p. 443 fig., incrustans p. 444 fig., solida p. 444 fig., solida p. 444 fig., scabra p. 444 fig., scabra p. 445 fig. Marshall Islands and Japan, Weels U.S. geol. Surv. Prof. Pap. 2661 1954.

†Leptoseris sibolongensis sp. n. p. 132 fig. Upper Tertiary Java, Osbergere Neues Jb. Min. Geol. Paläont. Abh. 100 1 1954. †Liardiphyllum gen. n. (fam. incert.) p. 368, type species (by original designation) hage: sp. n. p. 369 fig. Carboniferous Western Canada, SUTHERLAND Geol. Mag. 91 5 1954.

†? Linguloemilia sp. p. 238, Kolos-Váry 110.

†Lithophyllia ampla p. 14 fig., Kopek 114.—L. spinosa p. 122, Osberger 158.

†Lithostrotion (= Petalaxis) timanicus, sp. p. 8, Padget 160.

†Lithostrotionella americana p. 433 fig., Termier & Termier 215.

Lobophyllia costata, corymbosa, hemprichii p. 466, Wells 235.

prichii p. 466, Wells 235.

† Lobophyllia radicata p. 189, Geyeb
69.

Lophelia pertusa p. 16, BROCH 36.

†Loposmilia [sic] mikeladzei nom. nud. p. 285, [BENDUKIDZE] 22.

Lubrunia danae p. 287, HEDGPETH 82.

82. †Lyrielasma ? subcaespitosum p. 111

fig., Hill 87.

†Macgeea sp. septal structure p. 8
(340) fig., Róžkowska 178.

Madracis sp. p. 414 fig., Wells 235.

†Madrepora duncani p. 153, cf. squarrosa p. 154, OSBEBGER 158.

†Maeandraraea tenerrima, cf. tenuisepta polygonata p. 97, Kolosváry 111. —M. [as Meandrarea (sic)] korthiensis nom. nud. p. 286, [Bendukidze] 22.

†Maeandrastraea cf. crassiseptata p. 82 fig., Kolosváry 111.

†Maeandrophyllia [as Meandrophyllia (sic)] diagnosed p. 167, tuberosa p. 167 fig., Geyer 69.

Metridium senile senile p. 204 fig., PAX & MULLER 167.

†Microphyllia diagnosed p. 149, soemmeringii p. 150 fig., brevivallis p. 150, greppini p. 150 fig., M. ? tuberosa p. 151, seriata p. 151 fig., astroides p. 151 fig., Gener 69.

†Microsmilia sp. p. 239, Kolosváry 110.

†Microsolena diagnosed p. 165, agariciolormis p. 165, Geyer 69.—M. agariciformis p. 239 fig., rolula subsp. pannonica subsp. n. p. 239 fig. Jurassic Hungary, sp. p. 239, Konsyaey Földt. Közl. 84, 3 1964.—M. kandelakii nom. nud. p. 286, [Bendukidze] 22.

†Microsolenidae diagnosed p. 164, GEYER 69.

†Mictophyllum cresswelli p. 109 fig., var. cylindricum var. n. p. 109 fig. Devonian Victoria, sp. p. 109 fig., sp. or Disphyllum sp. p. 110 fig., HILL Proc. roy. Soc. Vict. N.S. 66 1954.

Minyas olivacea p. 287, HEDGFETH 82.

†Mitrodendron diagnosed p. 198 mitratum p. 198 fig., GEYER 69.

†Mitrodendronidae diagnosed p. 198, GEYER 69.

Montastraea [as Montastrea (sic)] discussed p. 463, Wells 235.

Montipora tenuicaulis p. 155, bernardi p. 153, var. subglabra p. 153, and studeri p. 153 are all junior synonyms of verrucosa p. 151 fig., Boschma 28.-M. subtilis p. 433 fig., granulosa p. 434 fig., cf. complanata p. 434 fig., cf. pallida p. 434, foveolata p. 434 fig., caliculata p. 434 fig., socialis p. 435 fig., turgescens p. 436 fig., elschneri p. 436 fig., hoff-meisteri sp. n. p. 436 fig. Marshall Islands, tuberculosa p. 436 fig., venosa p. 436, cf. studeri p. 436 fig., conicula sp. n. p. 436 fig., colei sp. n. p. 437 fig., floweri sp. n. p. 437 fig., Marshall Islands, verrucosa p. 438 fig., danae p. 438 fig., verrilli p. 438 fig., ehrenbergi p. 438, granulata p. 439 fig., cf. myriophthalma p. 439 fig., minuta p. 439 fig., composita p. 439 fig., marshallensis sp. n. p. 440 fig. Marshall Islands, Wells U.S. geol. Surv. Prof. Pap. 2801 1954.

†Montipora cf. trabeculata p. 152, OSBERGER 158.

†Montlivaltia sp. p. 64, GEYER 68.—

M. diagnosed p. 172, crassisepta p. 172, obconica p. 173 fig., truncata p. 174, zitteli, compressa, unicomis, cytinus p. 175, heliunthoides p. 176 fig., lesueuri p. 176 fig., pirum p. 177, dianthus p. 177 fig., conica p. 177, ellipsocentra p. 177 fig., conica p. 177, ellipsocentra p. 178, bullata p. 179, procera sp. n. p. 179 fig. Jurassic Germany, recta p. 179, renevieri p. 180 fig., Gryter Palaeontogr. 104A 1954.—M. sp. p. 235 fig., Kolosváry 110.—M. sp. p. 78, sp. juv. p. 78 fig., rudis p. 78 fig., obesaformis sp. n. pp. 79, 125 fig., Cretaceous Hungary, latona p. 79 fig., Kolosváry Jb. ung. geol. Anst. 42 2 1954.

†Montlivaltiidae diagnosed p. 172, GEYER 69.

†Mycetaraea diagnosed p. 169, dimorpha p. 169 fig., agaricoides p. 169 fig., GEYER 69.

†Myriophyllia diagnosed p. 138, tenella p. 138, Geyer 69.

†Neomphyma? sp. p. 37 fig., Hill 86.

Oculina (Schizoculina) fissipara p. 222 fig., Monod 142.

†Orbicella moravica p. 120 a sp. of Provinciastraea, travisensis and whitney discussed p. 124, maxima discussed p. 126, annularis p. 164 is a sp. of Cyphastraea, Chevalier 43.—O. reussiana p. 9 fig., oligophylla p. 9 fig., defrancei p. 10 fig., conoidea p. 11 fig., Kopek 114.—O. pracheliopora p. 81, Osbergger 157.—O. cyclommatos p. 143, Osbergger 158.—O. sp. pl. 1, Taki & Oyama 213.

Oulactis mcmurrichi p. 572 fig., Carlgren 41.

Oulophyllia crispa p. 461, Wells 235.

†Ovalastraea cf. caryophylloides, cf. michelini p. 64, GEYER 68.—O. [as Ovalastrea (sic)] diagnosed p. 152, caryophylloides p. 152 fig., michelini p. 153 fig., cf. lobata p. 153 fig., GEYER 69.

Oxypora lacera p. 468 fig., Wells 235.

Pachyseris rugosa p. 445 fig., speciosa p. 446, Wells 235.

† Palaeosmilia discussed p. 27, contexta sp. n. p. 27 fig. Devonian W. Australia, Hull. Bull. Min. Resources Geol. Geophys. Australia 23 1954.

Palythoa densa sp. n. p. 588 fig. W. Australia, heideri? nom. n. [sic] p. 591 fig. W. Australia, Carlgren Ark. Zool. 6 34 1954.—P. caribaea p. 108, mammillosa p. 109, Fontaine 59.

Paracyathus parvulus p. 469 fig., Wells 285.

Parahalomitra robusta p. 449 fig. dentata p. 450, Wells 235.

Paranthus rapiformis p. 287 fig., HEDGPETH 82.

†Parasmilia? jurassica p. 198, GEYER 69.—P. aptiensis p. 102 fig., sp. p. 103, Kolosváry 111.

Parazoanthus swiftii p. 108 fig., Fontaine 59.—P. axinellae adriaticus p. 143 fig., Pax & Müller 167. †Partimeandra nom. nud. pp. 285, 286, kachadzei nom. nud. p. 286, [Bendukidze] 22.

Pavona frondifera, minor, danai, praetorta p. 441, clavus p. 441 fig., minuta sp. n. p. 442 fig. Marshall Islands, varians p. 442 fig., P. (Pseudo-columnastraea) pollicata sp. n. p. 443 fig. Marshall Islands, Wells U.S. geol. Surv. Prof. Pap. 2601 1954.

†Peneckiella possibly synonymous with Synaptophyllum p. 25, teicherti sp. n. p. 25 fig. Devonian W. Australia, Hill Bull. Min. Resources Geol. Geophys. Australia 23 1954.

†Petalaxis see Lithostrotion.

†Petrophylliella trochoides p. 123, javana p. 123 fig., Osberger 158.

†Phacellophyllum discussed p. 26, sp. p. 26 fig., Hill 86.

†Phillipsastraea [as Phillipsastrea (sic)] delicatula p. 14 fig., sp. p. 14 fig., HILL 86.—P. [as Phillipsastrea (sic)] maculosa p. 107 fig., HILL 87.—P. sedgwicki a sp. of Hexagonaria p. 465, MOENKE 141.

Phlyctenactis tuberculosa p. 578 fig., Carlgren 41.

†Phyllocoenia bormidensis p. 128, murrayi p. 173, Chevalier 43.—P. sp. p. 75, lilli p. 75 fig., cf. execulpta p. 76 fig., cf. lepida p. 76 fig., P. (?) leganyii sp. n. pp. 77, 125 fig. Cretaceous Hungary, sp. p. 77, Kolosváry Jb. ung. geol. Anst. 42 2 1954.

†Phyllocoeniopsis gen. n. p. 114, neocomiensis p. 109 fig., cribraria p. 113 fig., varians p. 114, terminaria p. 115, constricta p. 116 fig., sulco-lamellosa p. 117, edwardsi p. 119 fig., CHEVALIER Ann, Hébert et Haug 8 1954.

†Phyllosmilia discussed p. 2, flabelliformis p. 4 fig., crassa sp. n. p. 6 fig.
U. Cretaceous France, basochesi p. 7
fig., costata, gracile p. 9, sphenotrochoides
nom. n. (for P. gracilis non de Fromentel) p. 10 U. Cretaceous France,
complanata p. 11, catalaunica p. 13 fig.,
cuneolus p. 14, lanquinei sp. n. p. 15
fig. U. Cretaceous France, var. didyma
var. n. p. 16 fig. U. Cretaceous France,
regreli sp. n. p. 17 fig. U. Cretaceous
France, toucasi sp. n. p. 18 fig. U.
Cretaceous France, transiens p. 19,
alata p. 21 fig., cureti sp. n. p. 21 fig.
U. Cretaceous France, elongata p. 23

fig., gabrieli p. 24 fig., minima p. 25 fig., fromenteli p. 26 fig., spp. n. U. Cretaceous France, sp. p. 27 fig., Allotteau Ann. Centre Études Document. paléont. No. 8 1954.—P. sp. p. 106, transiens p. 106 fig., upponyensis sp. n. pp. 107, 128 fig., pannonica sp. n. pp. 107, 127 fig., rozlozniki sp. n. pp. 108, 128 fig., simegensis sp. n. pp. 108, 128 fig., cretaceous Hungary, Kolosváry Jb. ung. geol. Anst. 42 2 1954.

Physogyra lichtensteini p. 471 fig., Wells 235.

†Placocoenia lucasiana p. 126 fig., Chevalier 43.—P. ef. decamera p. 73, Kolosyáry 111.

†Placophyllia dianthus p. 65, Geyeb 68.—P. diagnosed p. 193, dianthus p. 193 fig., rugosa p. 193 fig., Geyeb 69.

†Placosmilia ? sp. p. 104 fig., arcuata p. 104 fig., P. ? hungarica sp. n. pp. 105, 127 fig. Cretaceous Hungary, Kolosváry Jb. ung. geol. Anst. 42 2 1954.

†Plastastrocoenia discussed p. 13, ALLOITEAU 9.

Platygyra rustica p. 462, sinensis p. 462 fig., Wells 235.

†Platysmilia cf. angusta p. 72 fig., multicincta p. 72 fig., Kolosváry 111.

Plesiastraea [as Plesiastrea (sic)] lilli p. 460 fig., russelli p. 460 fig., spp. n. Marshall Islands, versipora p. 460, Wells U.S. geol. Surv. 260I 1954.

†Plesiastraea ramea p. 163 is a sp. of Aquitanastraea, versipora p. 167 fig., annuligera p. 167 fig., laperousiana p. 169 fig., quatrefagiana p. 170 fig., CHEVALIEE 43.—P. desmoulinsi p. 13 fig., KOPEK 114.

†Plesiastreopsis gen. n. p. 118, vesparia, sexangula p. 118, CHEVALIER Ann. Hébert et Haug 8 1954.

Plesioseris see Psammocora.

Pocillopora damicornis p. 24 fig., ATODA 12.—P. damicornis p. 412 fig., danae p. 412, perrucosa p. 413 fig., elegans p. 413 fig., meandrina nobilis p. 413, brevicornis p. 413 fig., setchelli p. 413, ligulata p. 413 fig., eydouxi p. 414 fig., Wells 235.

Porites bernardi p. 86, Buchanan 37. —P. lobata p. 452 fig., australiensis p. 452 fig., lutea p. 452 fig., lichen p. 453 fig., studeri p. 454 fig., fragosa p. 454 fig., murrayensis p. 454 fig., undrewsi p. 454 fig., mathaii sp. n. p. 455 fig. Marshall Islands, P. (Synaraea) hawaiiensis p. 455 fig., horizontalata p. 456 fig., monticulosa p. 455, iwayamaensis p. 455 fig., WELLS U.S. geol. Surv. Prof. Pap. 2601 1954.

†Porites incrustans p. 29 fig., vindobonarum prima p. 29 fig., Kofek 114.— P. sp. pp. 134, 151, Ösberger 158.— P. cf. capricornis p. 613 fig., Wells 236.

†Prionastraea cf. verbeeki p. 142, Osberger 158.

†Prismatophyllum davidsoni a sp. of Hexagonaria p. 468, MOENKE 141.

†Prostephanocoenia discussed pp. 12, 14, ALLOITEAU 9.

†Protoseris diagnosed p. 144, robusta p. 145 fig., suevica p. 145 fig., placenta p. 145, Geyer 69.

†Provinciastraea gen. n. pp. 121-123 [as Provinciastrea (sic) p. 123], type species (by monotypy) moravica p. 120, var. mazaugui var. n. p. 120 fig. Cretaceous Moravia, CHEVALIEE Ann. Hébert et Haug 8 1954.

Psammocora nierstraszi p. 410 fig., explanatula p. 410 fig., P. (Stephanaria) togianensis p. 410 fig., P. (Plesioseris) haimeana p. 410, Wells 235.

†? Pseudamplexus sp. p. 111 fig., Hill 87.

†Pseudaulina gen. n. p. 875, type sp. (by original designation) lefranci sp. n. p. 873 fig. U. Cretaceous Sahara, Allotteau Bull. Soc. géol. Fr. (6) 3 1953.

Pseudocolumnastraea see Pavona.

†Pseudozonophyllum halli p. 236 fig., excentricum sp. n. p. 241 fig. (Conspectus pp. 44, 50) Devonian Poland, Różkowska Acta geol. polon. 4 1954.

†Ptenophyllum torquatum p. 226 fig., Rozkowska 179.

Radianthus (Antheopsis) concinnata p. 581 fig., Carlgren 41.

†Rhabdophyllia sp. p. 81, OSBERGER 157.

†Rhipidogyra diagnosed p. 191, costata p. 191 fig., alata p. 191 fig., Geyer 69.—R. ? sp. p. 71, Kolosváry 111.

†Rhipidogyridae diagnosed p. 190, GEYEE 69. Rhizopsammia chamissoi sp. n. p. 473 fig., minuta var. bikiniensis var. n. p. 473 fig., Marshall Islands, Wells U.S. geol. Surv. Prof. Pap. 2601 1954.

†Rhopalophyllum heterophyllum p. 230 fig., Różkowska 179.

†Rotiphyllum geinitzi p. 6, geinitzi? p. 7, Padget 160.

†Rugosa gen. et sp. ind. p. 37 fig., HALL 86.

†Sarcinula putealis p. 112 fig., CHEVALIER 43.

Schizoculina see Oculina.

†Schlüteria sp. p. 7 (339) fig., Różkowska 178.

Sclerhelia alcocki sp. n. p. 465 fig. Marshall Islands, Wells U.S. geol. Surv. Prof. Pap. 2601 1954.

†Septastraea multilateralis, excavata, haimei, fromenteli, eveshami p. 879 are spp. of Septastraeopsis, Alloiteau 8.

†Septastraeopsis gen. n. (fam. Dendrogyridae) p. 878, type species (by original designation) gigouti sp. n. p. 876 fig. U. Jurassic-Cretaecous Morocco, multilateralis, excavata, haimei, fromenteli, eveshami p. 879, ALLOITEAU Bull. Soc. géol. Fr. (6) 3 1953.

Seriatopora hystrix p. 411 fig., angulata p. 412 fig., Wells 235.

†Seriatopora hystrix p. 150 fig., OSBERGER 158.—S. delicatula p. 612 fig., ornata p. 612 fig., micrommata p. 612 fig., Wells 236.

Siderastraea radians p. 85, Buchanan 37.

†Siderastraea crenulata p. 15 fig., froehlichiana p. 16 fig., Kopek 114.

†Siderofungia sp. p. 95, Kolosváry 111.

Solenastraea a subgenus of Heliastraea p. 177, Chevalier 43.

†Spongophyllum ? sp. p. 29 fig., Hill 86.—S. serratum sp. n. p. 111 fig. Devonian Victoria, Hill Proc. roy. Soc. Vict. N.S. 66 1954.

†Stelidioseris discussed p. 12, Alloiteau 9.

Stephanaria see Psammocora.

†Stephanastraea a synonym of Columastrea p. 14, Alloiteau 9.

†Stephanocoenia littoralis p. 73 is a sp. of Actinastraea (q.v.), Alloiteau 9.—S. ramulifera a sp. of Actinastraea p. 129, Geyer 69.—S. formosa p. 112 fig., Kolosyáry 111.

†Stephanosmilia polydectes pp. 103, 127 fig. Cretaceous Hungary, Kolosváry Jb. ung. geol. Anst. 42 2 1954.

†Stereostylus sp. p. 433 fig., Termier & Termier 215.

Stoichactis helianthus p. 287, Hedg-

†Strenuastraea nom. nud. p. 882, ALLOITEAU 8.

†Stylidophyllum denticulatum pp. 115, 120 fig., Kostić-Podgorska 116.

†Stylina striata the type species of Stylinopsis p. 111, Chevaliee 43.—S. diagnosed p. 130, micrommata p. 130 fig., tubulosa p. 130, fallax p. 131, delabechei p. 131 fig., excelsa p. 132 fig., limbata p. 132, decipiens p. 133, lobata p. 133 fig., subsp. intermedia p. 133 fig., tubulifera p. 134 fig., spissa p. 134, aff. deluci p. 135, Geyer 69.—S. parvistella p. 73 fig., Kolosváry 111.

†Stylinida diagnosed p. 130, GEYER

†Stylinidae diagnosed p. 130, GEVEE 69.

†Stylinopsis gen. n. p. 112, type species (by monotypy) Stylina striata p. 111 fig. Cretaceous France, CHEVA-LIER Ann. Hébert et Haug 8 1954.

†Stylocoenia sp. p. 113 fig., Kolosváry 111.

Stylocoeniella armata p. 409 fig., Wells 235.

†Stylocyathus diagnosed p. 189, coarctatus p. 189 fig., Geyer 69.—S. minutus sp. n. pp. 99, 126 fig., Cretaceous Hungary, Kolosváry Jb. ung. geol. Anst. 42 2 1954.

Stylophora pistillata p. 48 fig., Atoda 13.—S. pistillata p. 411 fig., mordax p. 411 fig., Wells 235.

†Stylophora cf. annulata p. 62 fig., CHEVALIER 44.—S. subreticulata p. 28 fig., KOFEK 114.—S. pistillata pp. 133, 147, sokkohensis p. 134, pocilloporoides p. 147, damicornis p. 148, jenkinsi p. 149, OSBERGER 158.—S. pistillata p. 612 fig., cf. mordax p. 612, WELLS 236.

†Stylophyllopsis haimei p. 210 fig., Conti 47.

†Stylosmilia diagnosed p. 138, suevica, corallina p. 138, Geyer 69.

Symphyllia nobilis p. 466, Wells 235. Synaraea see Porites.

†Synastraea cf. concinna p. 64, Geyeb 68.—S. diagnosed p. 162, foliacea p. 162 fig., concinna p. 163, Geyeb 69.

†Synastraeidae diagnosed p. 162, GEYER 69.

†Syringaxon (Syringaxon) nanus p. 159 fig., perfectus p. 161, graecensis sp. n. p. 162 fig. Silurian Austria, Schouppé Mitt. Naturwiss. Verein. Steiermark 34 1954.—S. discussed p. 395, S. (Syringaxon) nanus p. 396 fig., perfectus p. 397 fig., S. (Barrandeophyllum) carnicus p. 399 fig., Schouppé 139.

†Tarbellastraea ellisiana p. 131 fig., raulini p. 133 fig., var. reussiana p. 135, prevostiana p. 136 fig., Chevalier 43.

Teleosteus suppressed, primaevus suppressed p. 139, Orinion 4.

†Temnophyllum discussed p. 23, sp. or Disphyllum depressum p. 21 fig., turbinalum sp. n. p. 23 fig., T.? floriforme sp. n. p. 24 fig., Devonian W. Australia, HULL Bull. Min. Resources Geol. Geophys. Australia 23 1954.

†Thalamocaeniopsis gen. n. (fam. Thamnasteriidae) p. 881, type species (by original designation) ouenzensis sp. n. p. 880 fig. L. Cretaceous Algeria, ALLOITEAU Bull. Soc. géol. Fr. (6) 3 1953.

†Thamnasteria diagnosed p. 154, gracilis p. 154, microconos p. 155, heterogenea p. 155 fig., cristata, seriata p. 156, confluens p. 157 fig., lobata p. 157, patina p. 158 fig., pseudarachnoides, major p. 158, blaburensis sp. n. p. 158 fig. Jurassic Germany, Geyter Palacontogr. 194A 1954.—T. gracilis p. 64, Geyter 68.—T. [as Thamnastroea (sic)] rectilamellosa p. 158 fig., Cont. 47.—T. [as Thamnastraea (sic)] sp. p. 91, ct. pediculata p. 92, ct. frondescens p. 92, exigua p. 92 fig., procera p. 92, carinata p. 93 fig., deciptens p. 93 fig., deciptens p. 93 fig., Kolosyley 111.—T. [as Thamnastraea (sic)] racemosa nom. nud. p. 286, [Bendukidze] 22.

†Thamnasteriidae diagnosed p. 154, GEYER 69.

†Thamnastraea see Thamnasteria.

†Thamnophyllum aff. stachei p. 233 fig., Różkowska 179.

†Thecocyathus sp. p. 237 fig., mactraeformis p. 237 fig., baconica sp. n. p. 237 fig. Jurassic Hungary, Kolosváry Földt. Közl. 84 3 1954.

†Thecosmilia clathrata p. 157 fig., Conti 47.—T. diagnosed p. 180, trichotoma p. 180, trichotoma p. 181, subsp. pressa p. 182, dichotoma p. 182 fig., Geyer 69.—T. rofanica subsp. pannonica subsp. n. p. 235 fig. Jurassic Hungary, Kolosváry Földt. Közl. 84 3 1954.

†Tiaradendron diagnosed p. 142, germinans p. 142 fig., Geyer 69.

†Toechastraea discussed p. 13, Alloi-

†Tricycloseris diagnosed p. 168, triangularis p. 168 fig., Gever 69.

Tridacophyllia cervicornis the type species of Dactylotrochus p. 470, Wells 235.

? Trochocyathida sp. p. 238 fig., Kolosvary 110.

†Trochocyathus diagnosed p. 188, laminus p. 188 fig., Geyer 69.—T. truncatus p. 237 fig., primaeva p. 237 fig., Kolosváry 110.—T. cf. amphitriks p. 99 fig., Kolosváry 111.—T. majzoni p. 26 fig., Kopek 114.

†Trochosmilia sp. p. 100 fig., chondrophora p. 101 fig., subinduta p. 101 fig., psecadiphora p. 102, Kolosváry 111.

†Tryplasma delicatulum p. 36 fig., Hill. 86.—T. wellingtomense p. 112 fig., murrayi p. 112, sp. p. 112, Hill 87.— T. loveni p. 382 fig., vermiculare p. 387 fig., Schouppe 189.

Turbinaria p. 471, crater p. 471, irregularis p. 471 fig., cf. sinensis p. 471, mesenterina, cf. stellulata p. 472, cf. veluta p. 472 fig., Wells 235.

†Turbinaria cyathiformis p. 28 fig., Kopek 114.

†Turbinolia alata a sp. of Phyllosmilia p. 20, Allotteau 10.

†Undulocyathus gen. n. (fam. Caryophyllidae) p. 238, hungaricus p. 238 fig., noszkyi p. 238 fig., spp. n. Jurassic Hungary, Kolosváry Földt. Közl. 84 3 1954.

†Verbeekiella sp. p. 8 (340) fig., Rózkowska 178. †Viminohelia gen. n. (fam. Calamophylliidae) p. 153, type species (by original designation) seminuda sp. n. p. 154 fig. Jurassie Germany, GEYER Palaeontogr. 104A 1954.

†Zaphrentis iocosa sp. n. p. 13 fig. Devonian W. Australia, Hill Bull. Min. Resources Geol. Geophys. Australia 23 1954.—Z. postuma p. 60 fig., TRUEMAN 224.

†Zaphrentoides? excavatus sp. n. p. 12 fig. Devonian W. Australia, Hill Bull. Min. Resources Geol. Geophys. Australia 23 1954.—Z. sp. p. 8 (340) fig., Różkowska 178.

†Zaphriphyllum gen. n. (fam. Caniniidae) p. 363, type species (by original designation) disseptum sp. n. p. 364 fig. Carboniferous Western Canada, SUTHERLAND Geol. Mag. 91 5 1954.

Zoanthus praelongus p. 585 fig., marshi p. 587 fig., spp. n. W. Australia, Caelgren Ark. Zool. 6 34 1954.—Z. solanderi p. 107 fig., flos-marinus p. 107 fig., pulchellus p. 107 fig., FONTAINE 59.

CTENOPHORA

NONE

INCERTAE SEDIS

None